

## Subject index

### A

#### **Abdominal aortic aneurysm; see Aortic aneurysm, abdominal**

#### **Abdominal injuries**

Acute abdominal aortic dissection: insight from the International Registry of Acute Aortic Dissection (IRAD) (Trimarchi et al). 2007;46:913-19, 913.e1-e8

Celiac dissection after blunt abdominal trauma complicated by acute hepatic failure: case report and review of literature (Kirchhoff et al). 2007;46:576-80 (Case rep.)

#### **Abstracts**

Abstracts. 2007;46:171-5, 394-8, 608-11, 823-7, 1080-4, 1306-1310

#### **Acute disease**

Acute venous disease: venous thrombosis and venous trauma (Meissner et al). 2007;46:S25-53

Preface: acute and chronic venous disease. Current status and future directions (Meissner et al). 2007;46:S1-3 (Editorial)

#### **Adult**

Bilateral popliteal aneurysm as a result of vascular type IV entrapment in a young patient: an exceptional case report (López et al). 2007;46:1047-50 (Case rep.)

#### **Aged**

Increased aortic arch calcification in patients older than 75 years: implications for carotid artery stenting in elderly patients (Bazan et al). 2007;46:841-5

#### **Aged, 80 and over**

Revascularization for chronic critical lower limb ischemia in octogenarians is worthwhile (Brosi et al). 2007;46:1198-207

#### **American Venous Forum**

The American Venous Forum: inclusive, innovative, involved (Dalsing). 2007;46:156-62 (Presidential Address)

D. Eugene Strandness Memorial Lecture: Foresight 2020: creating the venous vision (Kistner). 2007;46:163-8

Recommended reporting standards for endovenous ablation for the treatment of venous insufficiency: joint statement of the American Venous Forum and the Society of Interventional Radiology (Kundu et al). 2007;46:582-9

#### **Anastomosis, surgical**

Giant size abdominal aortic aneurysm repair using open proximal anastomosis under hypothermic circulatory arrest: a report of two cases (Vural et al). 2007;46:363-5 (Case rep.)

#### **Anemia**

Anemia is associated with abdominal aortic aneurysm (AAA) size and decreased long-term survival after endovascular AAA repair (Diehm et al). 2007;46:676-81

#### **Anesthesia, local**

Frequency of transient ipsilateral vocal cord paralysis in patients undergoing carotid endarterectomy under local anesthesia (Thermann et al). 2007;46:37-40

#### **Aneurysm**

Autologous repair of an internal carotid artery aneurysm by resection, caliber reduction, and external mesh tube reinforcement in a 9-year-old boy (Papadopoulos et al). 2007;46:1280-2 (Case rep.)

Bilateral popliteal aneurysm as a result of vascular type IV entrapment in a young patient: an exceptional case report (López et al). 2007;46:1047-50 (Case rep.)

Innominate artery aneurysm: axial reconstruction via a cervical approach (Takach and Lalka). 2007;46:1267-9 (Case rep.)

Lost to follow-up: a potential under-appreciated limitation of endovascular aneurysm repair (Jones et al); (Dalman) (Commentary). 2007;46:434-41

The medial versus the posterior approach in the repair of popliteal artery aneurysms: a multicenter case-matched study (Kropman et al). 2007;46:24-30

The rare case of a symptomatic atherosclerotic aneurysm of the superior epigastric artery mimicking an acute cholecystitis (Seifert et al). 2007;46:572-3 (Case rep.)

Surgical technique and long-term results after popliteal artery aneurysm repair: results from 717 legs (Ravn et al). 2007;46:236-43

True aneurysm of a metatarsal artery (Ysa et al). 2007;46:1283

#### **Aneurysm, dissecting**

Acute abdominal aortic dissection: insight from the International Registry of Acute Aortic Dissection (IRAD) (Trimarchi et al). 2007;46:913-19, 913.e1-e8

Acute aortic dissection associated with use of cocaine (Daniel et al). 2007;46:427-33. Correction 2007;46:1090

Aortic dissection originating from an aberrant right subclavian artery (Li et al). 2007;46:1270-3 (Case rep.)

Celiac dissection after blunt abdominal trauma complicated by acute hepatic failure: case report and review of literature (Kirchhoff et al). 2007;46:576-80 (Case rep.)

#### **Aneurysm, false**

Native superficial femoral artery peripheral atherectomy site pseudoaneurysm: a case report (Nikam et al). 2007;46:565-8 (Case rep.)

Percutaneous embolization of a lumbar pseudoaneurysm in a patient with type IV Ehlers-Danlos syndrome (Naidu et al). 2007;46:1036-8 (Case rep.)

Regarding "Infected femoral artery pseudoaneurysm in drug addicts: the beneficial use of the internal iliac artery for arterial reconstruction" (Georgiadis) (Letter); (Klonaris et al) (Reply). 2007;46:613-14

Thoracic endovascular aortic repair for traumatic aortic transection (Go et al). 2007;46:928-33

Traumatic pseudoaneurysms of the head and neck: early endovascular intervention (Cox et al). 2007;46:1227-33

#### **Aneurysm, infected**

Endovascular treatment of a tuberculous infected aneurysm of the descending thoracic aorta: a word of caution (Labrousse et al). 2007;46:786-8 (Case rep.)

Infected abdominal aortic aneurysm caused by *Brucella abortus*: a case report (Park et al). 2007;46:1277-9 (Case rep.)

Outcome after endovascular stent graft treatment for mycotic aortic aneurysm: a systematic review (Kan et al). 2007;46:906-12

Psoas abscess in patients with an infected aortic aneurysm (Hsu and Lin). 2007;46:230-5

Regarding "Infected femoral artery pseudoaneurysm in drug addicts: the beneficial use of the internal iliac artery for arterial reconstruction" (Georgiadis) (Letter); (Klonaris et al) (Reply). 2007;46:613-14

Ruptured mycotic abdominal aortic aneurysm secondary to *Mycobacterium bovis* after intravesical treatment with bacillus Calmette-Guérin (Harding and Lawlor). 2007;46:131-4 (Case rep.)

#### **Aneurysm, ruptured**

The role of tissue factor in patients undergoing open repair of ruptured and nonruptured abdominal aortic aneurysms (Hobbs et al). 2007;46:682-6

- Ruptured femoropopliteal artery aneurysms in von Recklinghausen neurofibromatosis (Gutarra et al). 2007;46:808-11 (Case rep.)
- Ruptured hepatic artery aneurysm: a novel approach to distal control (Stone et al). 2007;46:574-5 (Case rep.)
- Angiography**
- Aortic coarctation diagnosed by 64-sliced computed tomography angiography (Rosenthal and Shutze). 2007;46:1051
- Angioplasty**
- Duplex scan surveillance after carotid angioplasty and stenting: a rational definition of stent stenosis (Armstrong et al). 2007;46:460-6
- Impact of diabetes mellitus on outcomes of superficial femoral artery endoluminal interventions (Bakken et al). 2007;46:946-58, 946.e1-e17
- Postprocedural microembolic events following carotid surgery and carotid angioplasty and stenting (Tedesco et al). 2007;46:244-50
- Rheolytic thrombectomy, angioplasty, and selective stenting for subacute isolated popliteal artery occlusions (Dosluoglu et al). 2007;46:717-23
- Angioplasty, balloon**
- Atheroembolism during percutaneous renal artery revascularization (Edwards et al). 2007;46:55-61
- Cutting balloon angioplasty of autogenous infrainguinal bypasses: short-term safety and efficacy (Garvin and Reifsnnyder). 2007;46:724-30
- Determinants of hypotension and bradycardia after carotid angioplasty and stenting (Lin et al). 2007;46:846-54
- Incidence and clinical significance of distal embolization during percutaneous interventions involving the superficial femoral artery (Lam et al). 2007;46:1155-9
- Lesion severity and treatment complexity are associated with outcome after percutaneous infra-inguinal intervention (DeRubertis et al). 2007;46:709-16
- Median arcuate ligament syndrome: open celiac artery reconstruction and ligament division after endovascular failure (Delis et al). 2007;46:799-802 (Case rep.)
- Primary iliac stenting versus transluminal angioplasty with selective stenting (AbuRahma et al). 2007;46:965-70, 965.e1-e8
- Subintimal angioplasty for the treatment of claudication and critical limb ischemia: 3-year results (Scott et al). 2007;46:959-64
- Ankle**
- Compartment syndrome with foot ischemia after inversion injury of the ankle (Maurel et al). 2007;46:369-71 (Case rep.)
- Prognostic value of ankle-brachial index and dobutamine stress echocardiography for cardiovascular morbidity and all-cause mortality in patients with peripheral arterial disease (Thatipelli et al); (Mackey) (Commentary). 2007;46:62-70
- Regarding "A modified calculation of ankle-brachial pressure index is far more sensitive in the detection of peripheral arterial disease" (Aboyans and Lacroix) (Letter); (Schröder et al) (Reply). 2007;46:617-19
- Anti-bacterial agents**
- Prevention of *Staphylococcus aureus* graft infection by a new gelatin-sealed vascular graft prebonded with antibiotics (Javerliat et al). 2007;46:1026-31
- Anticoagulants**
- Female gender and oral anticoagulants are associated with wound complications in lower extremity vein bypass: an analysis of 1404 operations for critical limb ischemia (Nguyen et al). 2007;46:1191-7, 1191.e1-e8
- Aorta**
- Dynamic geometry and wall thickness of the aortic neck of abdominal aortic aneurysms with intravascular ultrasonography (Arko et al). 2007;46:891-7
- Aorta, thoracic**
- Application of endograft to treat thoracic aortic pathologies: a single center experience (Rodriguez et al). 2007;46:413-20
- Blunt thoracic aortic injury: a single institution comparison of open and endovascular management (Midgley et al). 2007;46:662-8
- Dual guidewire placement to enhance arch vessel origin identification: a simple technique to facilitate ostial aortic arch vessel stenting (Hedayati et al). 2007;46:1274-6 (Case rep.)
- Endovascular management of acute blunt traumatic thoracic aortic injury: a single center experience (Bent et al). 2007;46:920-7
- Endovascular treatment of a tuberculous infected aneurysm of the descending thoracic aorta: a word of caution (Labrousse et al). 2007;46:786-8 (Case rep.)
- Neurologic complications associated with endovascular repair of thoracic aortic pathology: incidence and risk factors. A study from the European Collaborators on Stent/Graft Techniques for Aortic Aneurysm Repair (EUROSTAR) Registry (Buth et al). 2007;46:1103-11, 1103.e1-e11
- Outcomes of surgical and endovascular treatment of acute traumatic thoracic aortic injury (Riesenman et al). 2007;46:934-40
- Salvage options after stent collapse in the thoracic aorta (Rodd et al). 2007;46:780-5 (Case rep.)
- Thoracic endovascular aortic repair for traumatic aortic transection (Go et al). 2007;46:928-33
- Aortic aneurysm**
- Acute aortic dissection associated with use of cocaine (Daniel et al). 2007;46:427-33. Correction 2007;46:1090
- Endovascular repair of para-anastomotic aortic aneurysms (Sachdev et al). 2007;46:636-41
- Outcome after endovascular stent graft treatment for mycotic aortic aneurysm: a systematic review (Kan et al). 2007;46:906-12
- Psoas abscess in patients with an infected aortic aneurysm (Hsu and Lin). 2007;46:230-5
- Syndecans are differentially expressed during the course of aortic aneurysm formation (Wen et al). 2007;46:1014-25
- Aortic aneurysm, abdominal**
- Abdominal aortic aneurysm in women: prevalence, risk factors, and implications for screening (DeRubertis et al). 2007;46:630-5, 630.e1-e7
- Acute and chronic open conversion after endovascular aortic aneurysm repair: a 14-year review (Jimenez et al). 2007;46:642-7
- Anemia is associated with abdominal aortic aneurysm (AAA) size and decreased long-term survival after endovascular AAA repair (Diehm et al). 2007;46:676-81
- Cost-effectiveness of conventional and endovascular repair of abdominal aortic aneurysms: results of a randomized trial (Prinssen et al). 2007;46:883-90, 883.e1-e9
- Cysteine protease activity in the wall of abdominal aortic aneurysms (Abisi et al). 2007;46:1260-6

- Dynamic geometry and wall thickness of the aortic neck of abdominal aortic aneurysms with intravascular ultrasonography (Arko et al). 2007;46:891-7
- Dysphagia lusoria (Feezor and Lee). 2007;46:581
- Early and mid-term results of ruptured abdominal aortic aneurysms in the endovascular era in a community hospital (Anain et al). 2007;46:898-905
- Endoleaks after endovascular aneurysm repair lead to nonuniform intra-aneurysm sac pressure (Dias et al); (Carpenter) (Commentary). 2007;46:197-203
- Endovascular abdominal aortic aneurysm repair in a patient with Ehlers-Danlos syndrome (Bade et al). 2007;46:360-2 (Case rep.)
- Endovascular abdominal aortic aneurysm repair in patients with common iliac artery aneurysms—initial experience with the Zenith bifurcated iliac side branch device (Serracino-Inglott et al). 2007;46:211-17
- Endovascular versus open surgical repair of abdominal aortic aneurysm with concomitant malignancy (Porcellini et al). 2007;46:16-23
- Evaluation of pressure transmission and intra-aneurysmal contents after endovascular repair using the Trivascular Enovus expanded polytetrafluoroethylene stent graft in a canine model of abdominal aortic aneurysm (Hyneczek et al). 2007;46:1005-13
- Giant size abdominal aortic aneurysm repair using open proximal anastomosis under hypothermic circulatory arrest: a report of two cases (Vural et al). 2007;46:363-5 (Case rep.)
- Health-related quality of life in survivors of open ruptured abdominal aortic aneurysm repair: a matched, controlled cohort study (Hill et al). 2007;46:223-9
- Infected abdominal aortic aneurysm caused by *Brucella abortus*: a case report (Park et al). 2007;46:1277-9 (Case rep.)
- The interleukin-10-1082 'A' allele and abdominal aortic aneurysms (Bown et al). 2007;46:687-93
- Is reconstructing the left renal vein truly necessary? Regarding "Glomerular filtration rate after left renal vein division and reconstruction during infrarenal aortic aneurysm repair" (Mehta and Clarke) (Letter); (Marrocco-Trischitta et al) (Reply). 2007;46:1085
- Long-term durability of open abdominal aortic aneurysm repair (Conrad et al). 2007;46:669-75
- Long-term postplacement cost after endovascular aneurysm repair (Noll et al); (Dalman) (Commentary). 2007;46:9-15
- Meta-analysis and systematic review of the relationship between surgeon annual caseload and mortality for elective open abdominal aortic aneurysm repairs (Young et al). 2007;46:1287-94 (Review)
- Optimizing compliance, efficiency, and safety during surveillance of small abdominal aortic aneurysms (Armstrong et al). 2007;46:190-6
- Persistent type 2 endoleak after endovascular repair of abdominal aortic aneurysm is associated with adverse late outcomes (Jones et al). 2007;46:1-8
- Prosthetic stent graft infection after endovascular abdominal aortic aneurysm repair (Sharif et al). 2007;46:442-8
- Regarding "EXCLUDER trial events are excluded from EXCLUDER trial report" (McMurtry and Beckman) (Letter); (Matsumura et al) (Reply). 2007;46:1088-90
- Regarding "Initial results of wireless pressure sensing for endovascular aneurysm repair: the APEX trial—Acute Pressure Measurement to Confirm Aneurysm Sac EXclusion" (Hinnen et al) (Letter); (Ohki) (Reply). 2007;46:403-4
- Regarding "Screening for abdominal aortic aneurysm reduces both aneurysm-related and all-cause mortality (Takagi et al) (Letter); (Mastracci and Cinà). 2007;46:1311-12
- A regional registry for quality assurance and improvement: the Vascular Study Group of Northern New England (VSGNNE) (Cronenwett et al). 2007;46:1093-102, 1093.e1-e10
- The role of tissue factor in patients undergoing open repair of ruptured and nonruptured abdominal aortic aneurysms (Hobbs et al). 2007;46:682-6
- Ruptured mycotic abdominal aortic aneurysm secondary to *Mycobacterium bovis* after intravascular treatment with bacillus Calmette-Guérin (Harding and Lawlor). 2007;46:131-4 (Case rep.)
- Spinal cord ischemia may be reduced via a novel technique of intercostal artery revascularization during open thoracoabdominal aneurysm repair (Woo et al). 2007;46:421-6
- Successful treatment of endotension and aneurysm sac enlargement with endovascular stent graft reinforcement (Kougias et al). 2007;46:124-7 (Case rep.)
- Aortic aneurysm, thoracic**
- Aorto-esophageal fistula after thoracic endovascular aortic repair and transthoracic embolization (Riesenman et al). 2007;46:789-91 (Case rep.)
- Hybrid repair of an aortic arch aneurysm with complex anatomy: right aortic arch and anomalous origin of supra-aortic vessels (Chiesa et al). 2007;46:128-30 (Case rep.)
- Learning curve analysis of thoracic endovascular aortic repair in relation to credentialing guidelines (Forbes et al). 2007;46:218-22
- Maldeployment of the TAG thoracic endograft (Lee et al). 2007;46:1032-5 (Case rep.)
- Spinal cord ischemia may be reduced via a novel technique of intercostal artery revascularization during open thoracoabdominal aneurysm repair (Woo et al). 2007;46:421-6
- Aortic arch; see Aorta, thoracic**
- Aortic arch aneurysm; see Aortic aneurysm, thoracic**
- Aortic arch syndromes**
- Increased aortic arch calcification in patients older than 75 years: implications for carotid artery stenting in elderly patients (Bazan et al). 2007;46:841-5
- Aortic coarctation**
- Aortic coarctation diagnosed by 64-sliced computed tomography angiography (Rosenthal and Shutze). 2007;46:1051
- Aortic diseases**
- Aorto-esophageal fistula after thoracic endovascular aortic repair and transthoracic embolization (Riesenman et al). 2007;46:789-91 (Case rep.)
- Application of endograft to treat thoracic aortic pathologies: a single center experience (Rodriguez et al). 2007;46:413-20
- Aortic rupture**
- Early and mid-term results of ruptured abdominal aortic aneurysms in the endovascular era in a community hospital (Anain et al). 2007;46:898-905
- Endovascular treatment of a tuberculous infected aneurysm of the descending thoracic aorta: a word of caution (Labrousse et al). 2007;46:786-8 (Case rep.)
- Health-related quality of life in survivors of open ruptured abdominal aortic aneurysm repair: a matched, controlled cohort study (Hill et al). 2007;46:223-9
- Ruptured mycotic abdominal aortic aneurysm secondary to *Mycobacterium bovis* after intravascular treatment with bacil-

- lus Calmette-Guérin (Harding and Lawlor). 2007;46:131-4 (Case rep.)
- Thoracic endovascular aortic repair for traumatic aortic transection (Go et al). 2007;46:928-33
- Aortitis**
- Probable zoonotic aortitis due to group C streptococcal infection (Gonzales et al). 2007;46:1039-43 (Case rep.)
- Arm**
- Evaluation of the efficacy of the transposed upper arm arteriovenous fistula: a single institutional review of 190 basilic and cephalic vein transposition procedures (Woo et al); (Henke) (Commentary). 2007;46:94-100, 94.e1-e9
- Arterial occlusive diseases**
- A personal experience with the influence of diabetes and other factors on the outcome of infrainguinal bypass grafts for occlusive disease (Hertzer et al). 2007;46:271-9. Correction 2007;46:828-32
- Hybrid treatment of common carotid artery occlusion with ring-stripper endarterectomy plus stenting (Pintér et al). 2007;46:135-9 (Case rep.)
- Median arcuate ligament syndrome: open celiac artery reconstruction and ligament division after endovascular failure (Delis et al). 2007;46:799-802 (Case rep.)
- Mid-term results with laser atherectomy in the treatment of infrainguinal occlusive disease (Stoner et al). 2007;46:289-95, 289.e1-e8
- Regarding "A modified calculation of ankle-brachial pressure index is far more sensitive in the detection of peripheral arterial disease" (Aboyans and Lacroix) (Letter); (Schröder et al) (Reply). 2007;46:617-19
- Regarding "Randomized comparison of percutaneous Viabahn stent grafts vs prosthetic femoral-popliteal bypass in the treatment of superficial femoral arterial occlusive disease" (Bergqvist) (Letter); (Kedora) (Reply). 2007;46:176-7
- Regarding "Stent grafts vs femoropopliteal bypass" (Takagi et al) (Letter); (Kedora and Gable) (Reply). 2007;46:399
- Arteries**
- Increasing use of endovascular therapy in acute arterial injuries: analysis of the National Trauma Data Bank (Reuben et al). 2007;46:1222-6, 1222.e1-e7
- True aneurysm of a metatarsal artery (Ysa et al). 2007;46:1283
- Arteriovenous fistula**
- A comparison between transposed brachio basilic arteriovenous fistulas and prosthetic brachioaxillary access grafts for vascular access for hemodialysis (Weale et al). 2007;46:997-1004
- Evaluation of the efficacy of the transposed upper arm arteriovenous fistula: a single institutional review of 190 basilic and cephalic vein transposition procedures (Woo et al); (Henke) (Commentary). 2007;46:94-100, 94.e1-e9
- Arteriovenous shunt, surgical**
- A comparison between transposed brachio basilic arteriovenous fistulas and prosthetic brachioaxillary access grafts for vascular access for hemodialysis (Weale et al). 2007;46:997-1004
- Atherectomy**
- Mid-term results with laser atherectomy in the treatment of infrainguinal occlusive disease (Stoner et al). 2007;46:289-95, 289.e1-e8
- Native superficial femoral artery peripheral atherectomy site pseudoaneurysm: a case report (Nikam et al). 2007;46:565-8 (Case rep.)
- Atheroembolism; see Embolism, cholesterol**

**Atherosclerosis**

- Accuracy of the screening physical examination to identify subclinical atherosclerosis and peripheral arterial disease in asymptomatic subjects (Cournot et al). 2007;46:1215-21
- Intraobserver and interobserver variability and spatial differences in histologic examination of carotid endarterectomies specimens (Hellings et al). 2007;46:1147-54
- Open surgery for atherosclerotic chronic mesenteric ischemia (Kruger et al). 2007;46:941-5
- The rare case of a symptomatic atherosclerotic aneurysm of the superior epigastric artery mimicking an acute cholecystitis (Seifert et al). 2007;46:572-3 (Case rep.)

**Axillary vein**

- A comparison between transposed brachio basilic arteriovenous fistulas and prosthetic brachioaxillary access grafts for vascular access for hemodialysis (Weale et al). 2007;46:997-1004

**B****Balloon occlusion**

- Acute and chronic open conversion after endovascular aortic aneurysm repair: a 14-year review (Jimenez et al). 2007;46:642-7
- Balloon control of the saphenofemoral junction during foam sclerotherapy: proposed innovation (Bidwai et al). 2007;46:145-7 (Tech. Note)

**Bariatric surgery**

- The use of intravascular ultrasound imaging to improve use of inferior vena cava filters in a high-risk bariatric population (Kardys et al). 2007;46:1248-52

**BCG vaccine**

- Ruptured mycotic abdominal aortic aneurysm secondary to *Mycobacterium bovis* after intravesical treatment with bacillus Calmette-Guérin (Harding and Lawlor). 2007;46:131-4 (Case rep.)

**Blood pressure**

- Regarding "A modified calculation of ankle-brachial pressure index is far more sensitive in the detection of peripheral arterial disease" (Aboyans and Lacroix) (Letter); (Schröder et al) (Reply). 2007;46:617-19

**Blood pressure monitoring, ambulatory**

- Regarding "Initial results of wireless pressure sensing for endovascular aneurysm repair: the APEX trial—Acute Pressure Measurement to Confirm Aneurysm Sac EXclusion" (Hinnen et al) (Letter); (Ohki) (Reply). 2007;46:403-4

**Blood vessel prosthesis**

- Adventitial endothelial implants reduce matrix metalloproteinase-2 expression and increase luminal diameter in porcine arteriovenous grafts (Nugent et al). 2007;46:548-56, 548.e1-e11
- Application of endograft to treat thoracic aortic pathologies: a single center experience (Rodriguez et al). 2007;46:413-20
- Celiprolol reduces the intimal thickening of autogenous vein grafts via an enhancement of nitric oxide function through an inhibition of superoxide production (Hattori et al). 2007;46:116-23
- Endovascular abdominal aortic aneurysm repair in patients with common iliac artery aneurysms—initial experience with the Zenith bifurcated iliac side branch device (Serracino-Inglott et al). 2007;46:211-17
- Evaluation of pressure transmission and intra-aneurysmal contents after endovascular repair using the Trivascular Enovus expanded polytetrafluoroethylene stent graft in a canine



- model of abdominal aortic aneurysm (Hynecek et al). 2007;46:1005-13
- Maldeployment of the TAG thoracic endograft (Lee et al). 2007;46:1032-5 (Case rep.)
- Prosthetic stent graft infection after endovascular abdominal aortic aneurysm repair (Sharif et al). 2007;46:442-8
- Regarding "Randomized comparison of percutaneous Viabahn stent grafts vs prosthetic femoral-popliteal bypass in the treatment of superficial femoral arterial occlusive disease" (Bergqvist) (Letter); (Kedora) (Reply). 2007;46:176-7
- Regarding "Stent grafts vs femoropopliteal bypass" (Takagi et al) (Letter); (Kedora and Gable) (Reply). 2007;46:399
- Vascular graft infection due to chronic Q fever diagnosed with fusion positron emission tomography/computed tomography (Assen et al). 2007;46:372
- Blood vessel prosthesis implantation**
- Endovascular repair of an iliac artery aneurysm in a patient with Ehlers-Danlos syndrome type IV (Tonnessen et al). 2007;45:177-9. (Case rep.). Correction 2007;46:1313
- Blunt injuries; see** Wounds, nonpenetrating
- Bone diseases**
- Bone marrow-derived cells and arterial disease (Golledge et al). 2007;46:590-600 (Review)
- Bone marrow cells**
- Bone marrow-derived cells and arterial disease (Golledge et al). 2007;46:590-600 (Review)
- Book reviews**
- Book reviews. 2007;46:179
- Brachial artery**
- A comparison between transposed brachio basilic arteriovenous fistulas and prosthetic brachio axillary access grafts for vascular access for hemodialysis (Weale et al). 2007;46:997-1004
- Prognostic value of ankle-brachial index and dobutamine stress echocardiography for cardiovascular morbidity and all-cause mortality in patients with peripheral arterial disease (Thaipelli et al); (Mackey) (Commentary). 2007;46:62-70
- Regarding "A modified calculation of ankle-brachial pressure index is far more sensitive in the detection of peripheral arterial disease" (Aboyans and Lacroix) (Letter); (Schröder et al) (Reply). 2007;46:617-19
- Brachiocephalic trunk**
- Innominate artery aneurysm: axial reconstruction via a cervical approach (Takach and Lalka). 2007;46:1267-9 (Case rep.)
- Bradycardia**
- Determinants of hypotension and bradycardia after carotid angioplasty and stenting (Lin et al). 2007;46:846-54
- Brain ischemia**
- Resveratrol neuroprotective effects during focal cerebral ischemia injury via nitric oxide mechanism in rats (Tsai et al). 2007;46:346-53
- Brucella abortus***
- Infected abdominal aortic aneurysm caused by *Brucella abortus*: a case report (Park et al). 2007;46:1277-9 (Case rep.)
- Buerger's disease; see** Thromboangiitis obliterans
- C**
- Calcinosis**
- Increased aortic arch calcification in patients older than 75 years: implications for carotid artery stenting in elderly patients (Bazan et al). 2007;46:841-5
- Calcium**
- Polyphenols modulate calcium-independent mechanisms in human arterial tissue-engineered vascular media (Diebolt et al). 2007;46:764-72
- Carboxypeptidase U**
- The role of tissue factor in patients undergoing open repair of ruptured and nonruptured abdominal aortic aneurysms (Hobbs et al). 2007;46:682-6
- Cardiovascular diseases**
- The association between lipoprotein-associated phospholipase A<sub>2</sub> and cardiovascular disease and total mortality in vascular medicine patients (Allison et al). 2007;46:500-6
- Regarding "Perioperative use of statins does not reduce cardiovascular risk" (Takagi et al) (Letter); (Schouten et al) (Reply). 2007;46:400-2
- Carotid arteries**
- Accuracy and utility of three-dimensional contrast-enhanced magnetic resonance angiography in planning carotid stenting (Timaran et al); (Kwolek) (Commentary). 2007;46:257-64
- The cyclo ligan picropodophyllin attenuates intimal hyperplasia after rat carotid balloon injury by blocking insulin-like growth factor-1 receptor signaling (Razuvaev et al). 2007;46:108-15
- Postprocedural microembolic events following carotid surgery and carotid angioplasty and stenting (Tedesco et al). 2007;46:244-50
- Transcervical carotid stenting with flow reversal protection: experience in high-risk patients (Matas et al). 2007;46:49-54
- The type of embolic protection does not influence the outcome in carotid artery stenting (Iyer et al). 2007;46:251-6
- Carotid artery, common**
- Hybrid treatment of common carotid artery occlusion with ring-stripper endarterectomy plus stenting (Pintér et al). 2007;46:135-9 (Case rep.)
- Carotid artery diseases**
- The fate of patients with retinal artery occlusion and Hollenhorst plaque (Dunlap et al). 2007;46:1125-9
- Intraplaque hemorrhage assessed by high-resolution magnetic resonance imaging and C-reactive protein in carotid atherosclerosis (Albuquerque et al). 2007;46:1130-7
- Statins: an essential component in the management of carotid artery disease (Paraskevas et al). 2007;46:373-86, 373.e1-e9 (Review)
- Carotid artery injuries**
- The emergency use of endografts in the carotid circulation to control hemorrhage in potentially contaminated fields (Sorial et al). 2007;46:792-8 (Case rep.)
- Traumatic carotid artery dissection caused by bungee jumping (Zhou et al). 2007;46:1044-6 (Case rep.)
- Carotid artery, internal**
- Autologous repair of an internal carotid artery aneurysm by resection, caliber reduction, and external mesh tube reinforcement in a 9-year-old boy (Papadopoulos et al). 2007;46:1280-2 (Case rep.)
- Measurement and impact of proximal and distal tortuosity in carotid stenting procedures (Faggioli et al). 2007;46:1119-24
- Regarding "Duplex surveillance following carotid surgery: effect of management policy" (Golledge) (Letter); (Ballotta and Baracchini) (Reply). 2007;46:1087-8
- Carotid artery, internal, dissection**
- Traumatic carotid artery dissection caused by bungee jumping (Zhou et al). 2007;46:1044-6 (Case rep.)

**Carotid atherosclerosis;** *see* Carotid artery diseases

**Carotid body tumor**

Paraganglioma of the vagus nerve mimicking as a carotid body tumor (Singh and Krishna). 2007;46:144

**Carotid endarterectomy;** *see* Endarterectomy, carotid

**Carotid stenosis**

Carotid endarterectomy was performed with lower stroke and death rates than carotid artery stenting in the United States in 2003 and 2004 (McPhee et al). 2007;46:1112-19, 1112.e1-e8

Carotid intraplaque hemorrhage detected by magnetic resonance imaging predicts embolization during carotid endarterectomy (Altaf et al). 2007;46:31-6

Comparison between early and late carotid endarterectomy for symptomatic carotid stenosis in relation to oxidized low-density lipoprotein and plaque vulnerability (Suzue et al). 2007;46:870-5

Determinants of hypotension and bradycardia after carotid angioplasty and stenting (Lin et al). 2007;46:846-54

Duplex scan surveillance after carotid angioplasty and stenting: a rational definition of stent stenosis (Armstrong et al). 2007;46:460-6

Long-term results of 442 consecutive, standardized carotid endarterectomy procedures in standard-risk and high-risk patients: an attainable goal for carotid stenting? (Flanigan et al). 2007;46:876-82, 876.e1-e13

Long-term survival and stroke-free survival after eversion carotid endarterectomy for asymptomatic severe carotid stenosis (Ballotta et al). 2007;46:265-70

Measurement and impact of proximal and distal tortuosity in carotid stenting procedures (Faggioli et al). 2007;46:1119-24

Patterns of in-stent restenosis after carotid artery stenting: classification and implications for long-term outcome (Lal et al). 2007;46:833-40

Restenosis after eversion vs patch closure carotid endarterectomy (Crawford et al). 2007;46:41-8

Transcervical carotid stenting with carotid artery flow reversal: 3-year follow-up of 103 stents (Criado et al). 2007;46:864-9

**Case reports**

Case reports. 2007;46:124-43, 360-71, 565-80, 780-811, 1032-50, 1267-82

**Cathepsins**

Cysteine protease activity in the wall of abdominal aortic aneurysms (Abisi et al). 2007;46:1260-6

**Catheter ablation**

Recommended reporting standards for endovenous ablation for the treatment of venous insufficiency: joint statement of the American Venous Forum and the Society of Interventional Radiology (Kundu et al). 2007;46:582-9

**Celiac artery**

Celiac dissection after blunt abdominal trauma complicated by acute hepatic failure: case report and review of literature (Kirchhoff et al). 2007;46:576-80 (Case rep.)

Clinical outcome of endovascular therapeutic occlusion of the celiac artery (Waldenberger et al). 2007;46:655-61

Median arcuate ligament syndrome: open celiac artery reconstruction and ligament division after endovascular failure (Delis et al). 2007;46:799-802 (Case rep.)

**Celiprolol**

Celiprolol reduces the intimal thickening of autogenous vein grafts via an enhancement of nitric oxide function through

an inhibition of superoxide production (Hattori et al). 2007;46:116-23

**Cell movement**

Regulation of arterial lesions in mice depends on differential smooth muscle cell migration: a role for sphingosine-1-phosphate receptors (Inoue et al). 2007;46:756-63

Sphingosine-1-phosphate-induced oxygen free radical generation in smooth muscle cell migration requires Gα12/13 protein-mediated phospholipase C activation (Roztocil et al). 2007;46:1253-9, 1253.e1-e11

**Cerebral ischemia;** *see* Brain ischemia

**Cerebrovascular accident**

Carotid endarterectomy was performed with lower stroke and death rates than carotid artery stenting in the United States in 2003 and 2004 (McPhee et al). 2007;46:1112-19, 1112.e1-e8

The fate of patients with retinal artery occlusion and Hollenhorst plaque (Dunlap et al). 2007;46:1125-9

Neurologic complications associated with endovascular repair of thoracic aortic pathology: incidence and risk factors. A study from the European Collaborators on Stent/Graft Techniques for Aortic Aneurysm Repair (EUROSTAR) Registry (Buth et al). 2007;46:1103-11, 1103.e1-e11

**Certification**

Vascular surgery training and certification: an international perspective (Cronenwett and Liapis). 2007;46:621-9

**Cervical vertebrae**

Innominate artery aneurysm: axial reconstruction via a cervical approach (Takach and Lalka). 2007;46:1267-9 (Case rep.)

**Child**

Autologous repair of an internal carotid artery aneurysm by resection, caliber reduction, and external mesh tube reinforcement in a 9-year-old boy (Papadopoulos et al). 2007;46:1280-2 (Case rep.)

**Chinese**

Prevalence of and risk factors for peripheral arterial disease in the patients with hypertension among Han Chinese (Yang et al). 2007;46:296-302

**Cholecystitis**

The rare case of a symptomatic atherosclerotic aneurysm of the superior epigastric artery mimicking an acute cholecystitis (Seifert et al). 2007;46:572-3 (Case rep.)

**Chronic disease**

Ascribing leg symptoms to chronic venous disorders: the construction of a diagnostic score (Carpentier et al). 2007;46:991-6

Preface: acute and chronic venous disease. Current status and future directions (Meissner et al). 2007;46:S1-3 (Editorial)

Primary chronic venous disorders (Meissner et al). 2007;46:S54-67

Secondary chronic venous disorders (Meissner et al). 2007;46:S68-83

**Claudication;** *see* Intermittent claudication

**Clinical competence**

Endovascular skills training and assessment (Neequaye et al). 2007;46:1055-64 (Review)

**Cocaine-related disorders**

Acute aortic dissection associated with use of cocaine (Daniel et al). 2007;46:427-33. Correction 2007;46:1090

**Cold**

Direct comparison of endothelial cell and smooth muscle cell response to supercooling and rewarming (Yiu et al). 2007;46:557-64, 557.e1-e12

**Compartment syndromes**

Compartment syndrome with foot ischemia after inversion injury of the ankle (Maurel et al). 2007;46:369-71 (Case rep.)

**Computed tomography;** *see* Tomography, x-ray computed

**Computer simulation**

Virtual reality simulation objectively differentiates level of carotid stent experience in experienced interventionalists (Van Herzele et al). 2007;46:855-63

**Conflict of interest**

Intentional over-treatment: the unmentionable conflict-of-interest (Jones and McCullough). 2007;46:605-7

**Corrections**

Acute aortic dissection associated with use of cocaine (Daniel et al) (2007;46:427-33). 2007;46:1090

Endovascular repair of an iliac artery aneurysm in a patient with Ehlers-Danlos syndrome type IV (Tonnessen et al) (2007;45:177-9) (Case rep.). 2007;46:1313

A personal experience with the influence of diabetes and other factors on the outcome of infrainguinal bypass grafts for occlusive disease (Hertzer et al) (2007;46:271-9). 2007;46:828-32

**Cost-benefit analysis**

Cost-effectiveness of conventional and endovascular repair of abdominal aortic aneurysms: results of a randomized trial (Prinssen et al). 2007;46:883-90, 883.e1-e9

Long-term postplacement cost after endovascular aneurysm repair (Noll et al); (Dalman) (Commentary). 2007;46:9-15

**Cranial nerve diseases**

Association between minor and major surgical complications after carotid endarterectomy: results of the New York Carotid Artery Surgery study (Greenstein et al). 2007;46:1138-46

**Cranial nerve palsy;** *see* Cranial nerve diseases

**Craniocerebral trauma**

Traumatic pseudoaneurysms of the head and neck: early endovascular intervention (Cox et al). 2007;46:1227-33

**C-reactive protein**

Fibrinogen and high-sensitive C-reactive protein as serologic predictors for perioperative cerebral microembolic lesions after carotid endarterectomy (Heider et al). 2007;46:449-54

Intraplaque hemorrhage assessed by high-resolution magnetic resonance imaging and C-reactive protein in carotid atherosclerosis (Albuquerque et al). 2007;46:1130-7

Regarding "Elevated C-reactive protein levels are associated with postoperative events in patients undergoing lower extremity vein bypass surgery" (Biancari) (Letter); (Owens and Conte) (Reply). 2007;46:402-3

**Credentialing**

Learning curve analysis of thoracic endovascular aortic repair in relation to credentialing guidelines (Forbes et al). 2007;46:218-22

**Cryosurgery**

Giant size abdominal aortic aneurysm repair using open proximal anastomosis under hypothermic circulatory arrest: a report of two cases (Vural et al). 2007;46:363-5 (Case rep.)

**Cyclolignan picropodophyllin;** *see* Podophyllotoxin

**Cystatins**

Cysteine protease activity in the wall of abdominal aortic aneurysms (Abisi et al). 2007;46:1260-6

**Cysteine endopeptidases**

Cysteine protease activity in the wall of abdominal aortic aneurysms (Abisi et al). 2007;46:1260-6

**Cysteine protease;** *see* Cysteine endopeptidases

**D**

**D-dimer;** *see* Fibrin fibrinogen degradation products

**Debridement**

Selective application of sartorius muscle flaps and aggressive staged surgical debridement can influence long-term outcomes of complex prosthetic graft infections (Armstrong et al). 2007;46:71-8

**Decision making**

Prospective decision analysis for peripheral vascular disease predicts future quality of life (Brothers et al); (Lilly) (Commentary). 2007;46:701-8, 701.e1-e10

**Deep vein thrombosis;** *see* Venous thrombosis

**Deglutition disorders**

Dysphagia lusoria (Feezor and Lee). 2007;46:581

**Descending aorta;** *see* Aorta, thoracic

**Diabetes mellitus**

A personal experience with the influence of diabetes and other factors on the outcome of infrainguinal bypass grafts for occlusive disease (Hertzer et al). 2007;46:271-9. Correction 2007;46:828-32

Impact of diabetes mellitus on outcomes of superficial femoral artery endoluminal interventions (Bakken et al). 2007;46:946-58, 946.e1-e17

**Dobutamine stress echocardiography;** *see* Echocardiography, stress

**Doppler duplex ultrasonography;** *see* Ultrasonography, Doppler, duplex

**Duplex ultrasound;** *see* Ultrasonography, Doppler, duplex

**E**

**Echocardiography, stress**

Prognostic value of ankle-brachial index and dobutamine stress echocardiography for cardiovascular morbidity and all-cause mortality in patients with peripheral arterial disease (Thatipelli et al); (Mackey) (Commentary). 2007;46:62-70

**Editorials**

Medical tort falls short in court (Jones and McCullough). 2007;46:1303-5

Preface: acute and chronic venous disease. Current status and future directions (Meissner et al). 2007;46:S1-3

Reviewer responsibility (Cronenwett et al). 2007;46:181

**Education, medical**

Academic medicine or private practice: you can't tell the players without a scorecard (Brown). 2007;46:387-90 (Presidential Address)

Endovascular skills training and assessment (Neequaye et al). 2007;46:1055-64 (Review)

Learning curve analysis of thoracic endovascular aortic repair in relation to credentialing guidelines (Forbes et al). 2007;46:218-22

Results of a single center vascular screening and education program (Hupp et al); (Bush) (Commentary). 2007;46:182-9

Vascular surgery training and certification: an international perspective (Cronenwett and Liapis). 2007;46:621-9

**Ehlers-Danlos syndrome**

Endovascular abdominal aortic aneurysm repair in a patient

- with Ehlers-Danlos syndrome (Bade et al). 2007;46:360-2 (Case rep.)
- Endovascular repair of an iliac artery aneurysm in a patient with Ehlers-Danlos syndrome type IV (Tonnessen et al). 2007; 45:177-9. (Case rep.). Correction 2007;46:1313
- Percutaneous embolization of a lumbar pseudoaneurysm in a patient with type IV Ehlers-Danlos syndrome (Naidu et al). 2007;46:1036-8 (Case rep.)
- Electron transport chain complex I**
- Ischemic preconditioning specifically restores complexes I and II activities of the mitochondrial respiratory chain in ischemic skeletal muscle (Thaveau et al); (Lindsay) (Commentary). 2007;46:541-7
- Electron transport chain complex II**
- Ischemic preconditioning specifically restores complexes I and II activities of the mitochondrial respiratory chain in ischemic skeletal muscle (Thaveau et al); (Lindsay) (Commentary). 2007;46:541-7
- Embolism**
- Carotid intraplaque hemorrhage detected by magnetic resonance imaging predicts embolization during carotid endarterectomy (Altaf et al). 2007;46:31-6
- Postprocedural microembolic events following carotid surgery and carotid angioplasty and stenting (Tedesco et al). 2007; 46:244-50
- The type of embolic protection does not influence the outcome in carotid artery stenting (Iyer et al). 2007;46:251-6
- Embolism, cholesterol**
- Atheroembolism during percutaneous renal artery revascularization (Edwards et al). 2007;46:55-61
- The fate of patients with retinal artery occlusion and Hollenhorst plaque (Dunlap et al). 2007;46:1125-9
- Embolization, therapeutic**
- Aortoesophageal fistula after thoracic endovascular aortic repair and transthoracic embolization (Riesenman et al). 2007;46:789-91 (Case rep.)
- Incidence and clinical significance of distal embolization during percutaneous interventions involving the superficial femoral artery (Lam et al). 2007;46:1155-9
- Percutaneous embolization of a lumbar pseudoaneurysm in a patient with type IV Ehlers-Danlos syndrome (Naidu et al). 2007;46:1036-8 (Case rep.)
- Endarterectomy**
- Hybrid treatment of common carotid artery occlusion with ring-stripper endarterectomy plus stenting (Pintér et al). 2007;46:135-9 (Case rep.)
- Endarterectomy, carotid**
- Association between minor and major surgical complications after carotid endarterectomy: results of the New York Carotid Artery Surgery study (Greenstein et al). 2007;46: 1138-46
- Carotid endarterectomy was performed with lower stroke and death rates than carotid artery stenting in the United States in 2003 and 2004 (McPhee et al). 2007;46:1112-19, 1112.e1-e8
- Carotid intraplaque hemorrhage detected by magnetic resonance imaging predicts embolization during carotid endarterectomy (Altaf et al). 2007;46:31-6
- Comparison between early and late carotid endarterectomy for symptomatic carotid stenosis in relation to oxidized low-density lipoprotein and plaque vulnerability (Suzue et al). 2007;46:870-5
- Fibrinogen and high-sensitive C-reactive protein as serologic predictors for perioperative cerebral microembolic lesions after carotid endarterectomy (Heider et al). 2007;46: 449-54
- Frequency of transient ipsilateral vocal cord paralysis in patients undergoing carotid endarterectomy under local anesthesia (Thermann et al). 2007;46:37-40
- Intraobserver and interobserver variability and spatial differences in histologic examination of carotid endarterectomies specimens (Hellings et al). 2007;46:1147-54
- Long-term results of 442 consecutive, standardized carotid endarterectomy procedures in standard-risk and high-risk patients: an attainable goal for carotid stenting? (Flanigan et al). 2007;46:876-82, 876.e1-e13
- Long-term survival and stroke-free survival after eversion carotid endarterectomy for asymptomatic severe carotid stenosis (Ballotta et al). 2007;46:265-70
- Postprocedural microembolic events following carotid surgery and carotid angioplasty and stenting (Tedesco et al). 2007; 46:244-50
- Regarding "Duplex surveillance following carotid surgery: effect of management policy" (Golledge) (Letter); (Ballotta and Baracchini) (Reply). 2007;46:1087-8
- Regarding "Early carotid endarterectomy in symptomatic patients is associated with poorer perioperative outcomes" (Naylor) (Letter); (Rockman) (Reply). 2007;46:616-17
- A regional registry for quality assurance and improvement: the Vascular Study Group of Northern New England (VSGNNE) (Cronenwett et al). 2007;46:1093-102, 1093.e1-e10
- Restenosis after eversion vs patch closure carotid endarterectomy (Crawford et al). 2007;46:41-8
- Endoleakage; see** Postoperative complications
- Endothelial cells**
- Direct comparison of endothelial cell and smooth muscle cell response to supercooling and rewarming (Yiu et al). 2007; 46:557-64, 557.e1-e12
- Endothelium, vascular**
- Adventitial endothelial implants reduce matrix metalloproteinase-2 expression and increase luminal diameter in porcine arteriovenous grafts (Nugent et al). 2007;46:548-56, 548.e1-e11
- Epigastric arteries**
- The rare case of a symptomatic atherosclerotic aneurysm of the superior epigastric artery mimicking an acute cholecystitis (Seifert et al). 2007;46:572-3 (Case rep.)
- Equipment design**
- Dual guidewire placement to enhance arch vessel origin identification: a simple technique to facilitate ostial aortic arch vessel stenting (Hedayati et al). 2007;46:1274-6 (Case rep.)
- Evaluation of pressure transmission and intra-aneurysmal contents after endovascular repair using the Trivascular Enovus expanded polytetrafluoroethylene stent graft in a canine model of abdominal aortic aneurysm (Hynecek et al). 2007;46:1005-13
- Equipment failure**
- Maldeployment of the TAG thoracic endograft (Lee et al). 2007;46:1032-5 (Case rep.)
- Regarding "Angio-Seal arterial puncture closing device removal: some technical details" (Siani et al) (Letter); (Dregelid) (Reply). 2007;46:399-400



### Esophageal fistula

Aortoesophageal fistula after thoracic endovascular aortic repair and transthoracic embolization (Riesenman et al). 2007;46:789-91 (Case rep.)

### Ethics, institutional

Institutional futility: factual or phony? (Jones and McCullough). 2007;46:169-70

### Ethics, medical

Ethics of guidelines for reviewers of medical manuscripts (Minion et al). 2007;46:391-3

The extent of informed consent (Jones and McCullough). 2007;46:821-2

Intentional over-treatment: the unmentionable conflict-of-interest (Jones and McCullough). 2007;46:605-7

Medical tort falls short in court (Jones and McCullough). 2007;46:1303-5 (Editorial)

Reviewer responsibility (Cronenwett et al). 2007;46:181 (Editorial)

What to do when a patient's international medical care goes south (Jones and McCullough). 2007;46:1077-9

### Exercise

Exercise performance in patients with peripheral arterial disease who have different types of exertional leg pain (Gardner et al). 2007;46:79-86

Physical activity, walking exercise, and calf skeletal muscle characteristics in patients with peripheral arterial disease (McDermott et al). 2007;46:87-93

## F

### Female

Female gender and oral anticoagulants are associated with wound complications in lower extremity vein bypass: an analysis of 1404 operations for critical limb ischemia (Nguyen et al). 2007;46:1191-7, 1191.e1-e8

### Femoral artery

Femoropopliteal prosthetic bypass with glutaraldehyde stabilized human umbilical vein (HUV) (Neufang et al). 2007;46:280-8

Impact of diabetes mellitus on outcomes of superficial femoral artery endoluminal interventions (Bakken et al). 2007;46:946-58, 946.e1-e17

Incidence and clinical significance of distal embolization during percutaneous interventions involving the superficial femoral artery (Lam et al). 2007;46:1155-9

Native superficial femoral artery peripheral atherectomy site pseudoaneurysm: a case report (Nikam et al). 2007;46:565-8 (Case rep.)

Regarding "Infected femoral artery pseudoaneurysm in drug addicts: the beneficial use of the internal iliac artery for arterial reconstruction" (Georgiadis) (Letter); (Klonaris et al) (Reply). 2007;46:613-14

Regarding "Randomized comparison of percutaneous Viabahn stent grafts vs prosthetic femoral-popliteal bypass in the treatment of superficial femoral arterial occlusive disease" (Bergqvist) (Letter); (Kedora) (Reply). 2007;46:176-7

Regarding "Stent grafts vs femoropopliteal bypass" (Takagi et al) (Letter); (Kedora and Gable) (Reply). 2007;46:399

Ruptured femoropopliteal artery aneurysms in von Recklinghausen neurofibromatosis (Gutarra et al). 2007;46:808-11 (Case rep.)

### Femoral vein

Balloon control of the saphenofemoral junction during foam sclerotherapy: proposed innovation (Bidwai et al). 2007;46:145-7 (Tech. Note)

Iliofemoral venous thrombosis (Comerota and Gravett). 2007;46:1065-76 (Review)

### Fibrin fibrinogen degradation products

Uses of different D-dimer levels can reduce the need for venous duplex scanning to rule out deep vein thrombosis in patients with symptomatic pulmonary embolism (Yamaki et al). 2007;46:526-32

### Fibrinogen

Fibrinogen and high-sensitive C-reactive protein as serologic predictors for perioperative cerebral microembolic lesions after carotid endarterectomy (Heider et al). 2007;46:449-54

### Fibromuscular dysplasia

Endovascular therapy for limb salvage in a case of critical lower limb ischemia resulting from fibromuscular dysplasia (Iida et al). 2007;46:803-7 (Case rep.)

### Flavonoids

Polyphenols modulate calcium-independent mechanisms in human arterial tissue-engineered vascular media (Diebolt et al). 2007;46:764-72

### Fluoroscopy

Assessment of three-dimensional stent-graft dynamics by using fluoroscopic roentgenographic stereophotogrammetric analysis (Koning et al). 2007;46:773-9

### Follow-up studies

Lost to follow-up: a potential under-appreciated limitation of endovascular aneurysm repair (Jones et al); (Dalman) (Commentary). 2007;46:434-41

### Foot

Compartment syndrome with foot ischemia after inversion injury of the ankle (Maurel et al). 2007;46:369-71 (Case rep.)

### Foot diseases

True aneurysm of a metatarsal artery (Ysa et al). 2007;46:1283

### Free radicals

Sphingosine-1-phosphate-induced oxygen free radical generation in smooth muscle cell migration requires Gα12/13 protein-mediated phospholipase C activation (Roztocil et al). 2007;46:1253-9, 1253.e1-e11

## G

### Gelatinase A

Adventitial endothelial implants reduce matrix metalloproteinase-2 expression and increase luminal diameter in porcine arteriovenous grafts (Nugent et al). 2007;46:548-56, 548.e1-e11

### Gelatinase B

Cysteine protease activity in the wall of abdominal aortic aneurysms (Abisi et al). 2007;46:1260-6

### Glomerular filtration rate

Is reconstructing the left renal vein truly necessary? Regarding "Glomerular filtration rate after left renal vein division and reconstruction during infrarenal aortic aneurysm repair" (Mehta and Clarke) (Letter); (Marrocco-Trischitta et al) (Reply). 2007;46:1085

### Glutaral

Femoropopliteal prosthetic bypass with glutaraldehyde stabilized human umbilical vein (HUV) (Neufang et al). 2007;46:280-8

**Glutaraldehyde;** *see* Glutaral**G-proteins;** *see* GTP-binding proteins**Graft occlusion, vascular**

The relative importance of graft surveillance and warfarin therapy in infrainguinal prosthetic bypass failure (Brumberg et al). 2007;46:1160-6

Surgical and endovascular revision of infrainguinal vein bypass grafts: analysis of midterm outcomes from the PREVENT III trial (Berceli et al). 2007;46:1173-9

Target lesion characteristics in failing vein grafts predict the success of endovascular and open revision (Hagino et al). 2007;46:1167-72

Technical factors affecting autogenous vein graft failure: observations from a large multicenter trial (Schanzer et al). 2007;46:1180-90

**GTP-binding proteins**

Sphingosine-1-phosphate-induced oxygen free radical generation in smooth muscle cell migration requires Gα12/13 protein-mediated phospholipase C activation (Roztocil et al). 2007;46:1253-9, 1253.e1-e11

**Guidelines**

Recommended reporting standards for endovenous ablation for the treatment of venous insufficiency: joint statement of the American Venous Forum and the Society of Interventional Radiology (Kundu et al). 2007;46:582-9

**H****Heart diseases**

Clinical factors associated with long-term mortality following vascular surgery: outcomes from The Coronary Artery Revascularization Prophylaxis (CARP) Trial (McFalls et al). 2007;46:694-700

**Hematoma**

Association between minor and major surgical complications after carotid endarterectomy: results of the New York Carotid Artery Surgery study (Greenstein et al). 2007;46:1138-46

**Hemodialysis;** *see* Renal dialysis**Hemodynamic processes**

The hemodynamics and diagnosis of venous disease (Meissner et al). 2007;46:S4-24

Stenting of the venous outflow in chronic venous disease: long-term stent-related outcome, clinical, and hemodynamic result (Neglén et al). 2007;46:979-90, 979.e1-e14

**Hemoglobins**

Anemia is associated with abdominal aortic aneurysm (AAA) size and decreased long-term survival after endovascular AAA repair (Diehm et al). 2007;46:676-81

**Hemorrhage**

Carotid intraplaque hemorrhage detected by magnetic resonance imaging predicts embolization during carotid endarterectomy (Altaf et al). 2007;46:31-6

The emergency use of endografts in the carotid circulation to control hemorrhage in potentially contaminated fields (Sorial et al). 2007;46:792-8 (Case rep.)

Intraplaque hemorrhage assessed by high-resolution magnetic resonance imaging and C-reactive protein in carotid atherosclerosis (Albuquerque et al). 2007;46:1130-7

**Hepatic artery**

Ruptured hepatic artery aneurysm: a novel approach to distal control (Stone et al). 2007;46:574-5 (Case rep.)

**Hepatic failure;** *see* Liver failure**Hispanic Americans**

Disparities in the treatment and outcomes of vascular disease in Hispanic patients (Morrissey et al). 2007;46:971-8

**Hospitals, community**

Early and mid-term results of ruptured abdominal aortic aneurysms in the endovascular era in a community hospital (Anain et al). 2007;46:898-905

**Hydroxymethylglutaryl-CoA reductase inhibitors**

Regarding "Perioperative use of statins does not reduce cardiovascular risk" (Takagi et al) (Letter); (Schouten et al) (Reply). 2007;46:400-2

Statins: an essential component in the management of carotid artery disease (Paraskevas et al). 2007;46:373-86, 373.e1-e9 (Review)

**Hyperplasia**

Celiprolol reduces the intimal thickening of autogenous vein grafts via an enhancement of nitric oxide function through an inhibition of superoxide production (Hattori et al). 2007;46:116-23

The cycloignan picropodophyllin attenuates intimal hyperplasia after rat carotid balloon injury by blocking insulin-like growth factor-1 receptor signaling (Razuvaev et al). 2007;46:108-15

**Hypertension**

Prevalence of and risk factors for peripheral arterial disease in the patients with hypertension among Han Chinese (Yang et al). 2007;46:296-302

**Hypotension**

Determinants of hypotension and bradycardia after carotid angioplasty and stenting (Lin et al). 2007;46:846-54

**I****Iliac aneurysm**

Branched iliac bifurcation: 6 years experience with endovascular preservation of internal iliac artery flow (Ziegler et al). 2007;46:204-10

Dysphagia lusoria (Feezor and Lee). 2007;46:581

Endovascular abdominal aortic aneurysm repair in patients with common iliac artery aneurysms—initial experience with the Zenith bifurcated iliac side branch device (Serracino-Ingloft et al). 2007;46:211-17

Endovascular repair of an iliac artery aneurysm in a patient with Ehlers-Danlos syndrome type IV (Tonnessen et al). 2007;45:177-9. (Case rep.). Correction 2007;46:1313

Endovascular repair of para-anastomotic aortic aneurysms (Sachdev et al). 2007;46:636-41

Isolated iliac artery aneurysms: endovascular versus open elective repair (Pitoulis et al). 2007;46:648-54

**Iliac artery**

Primary iliac stenting versus transluminal angioplasty with selective stenting (AbuRahma et al). 2007;46:965-70, 965.e1-e8

Regarding "Infected femoral artery pseudoaneurysm in drug addicts: the beneficial use of the internal iliac artery for arterial reconstruction" (Georgiadis) (Letter); (Klonaris et al) (Reply). 2007;46:613-14

**Iliac vein**

Factors associated with outcome after interventional treatment of symptomatic iliac vein compression syndrome (Knipp et al). 2007;46:743-9, 743.e1-e8

Iliofemoral venous thrombosis (Comerota and Gravett). 2007;46:1065-76 (Review)

**Imaging, three-dimensional**

Assessment of three-dimensional stent-graft dynamics by using fluoroscopic roentgenographic stereophotogrammetric analysis (Koning et al). 2007;46:773-9

**Information dissemination**

D. Eugene Strandness Memorial Lecture: Foresight 2020: creating the venous vision (Kistner). 2007;46:163-8

**Informed consent**

The extent of informed consent (Jones and McCullough). 2007;46:821-2

**Inguinal canal**

Cutting balloon angioplasty of autogenous infrainguinal bypasses: short-term safety and efficacy (Garvin and Reifsnnyder). 2007;46:724-30

**Innominate artery; see** Brachiocephalic trunk

**Institutional practice**

Institutional futility: factual or phony? (Jones and McCullough). 2007;46:169-70

**Insulin-like growth factor-1**

The cyclolignan picropodophyllin attenuates intimal hyperplasia after rat carotid balloon injury by blocking insulin-like growth factor-1 receptor signaling (Razuvaev et al). 2007;46:108-15

**Interleukin-10**

The interleukin-10-1082 'A' allele and abdominal aortic aneurysms (Bown et al). 2007;46:687-93

**Intermittent claudication**

Patterns of ambulatory activity in subjects with and without intermittent claudication (Gardner et al). 2007;46:1208-14

Peripheral arterial disease affects ground reaction forces during walking (Scott-Pandorf et al). 2007;46:491-9

Subintimal angioplasty for the treatment of claudication and critical limb ischemia: 3-year results (Scott et al). 2007;46:959-64

**Intracranial embolism**

Fibrinogen and high-sensitive C-reactive protein as serologic predictors for perioperative cerebral microembolic lesions after carotid endarterectomy (Heider et al). 2007;46:449-54

**Intravascular ultrasound; see** Ultrasonography, interventional  
**Ionizing radiation; see** Radiation, ionizing

**Ischemia**

Bypass for chronic ischemia of the upper extremity: results in 20 patients (Hughes et al). 2007;46:303-7

Compartment syndrome with foot ischemia after inversion injury of the ankle (Maurel et al). 2007;46:369-71 (Case rep.)

Endovascular therapy for limb salvage in a case of critical lower limb ischemia resulting from fibromuscular dysplasia (Iida et al). 2007;46:803-7 (Case rep.)

Female gender and oral anticoagulants are associated with wound complications in lower extremity vein bypass: an analysis of 1404 operations for critical limb ischemia (Nguyen et al). 2007;46:1191-7, 1191.e1-e8

Ischemic preconditioning specifically restores complexes I and II activities of the mitochondrial respiratory chain in ischemic skeletal muscle (Thaveau et al); (Lindsay) (Commentary). 2007;46:541-7

Lesion severity and treatment complexity are associated with outcome after percutaneous infra-inguinal intervention (DeRubertis et al). 2007;46:709-16

Open surgery for atherosclerotic chronic mesenteric ischemia (Kruger et al). 2007;46:941-5

Revascularization for chronic critical lower limb ischemia in octogenarians is worthwhile (Brosi et al). 2007;46:1198-207

Subintimal angioplasty for the treatment of claudication and critical limb ischemia: 3-year results (Scott et al). 2007;46:959-64

**Ischemic preconditioning**

Ischemic preconditioning specifically restores complexes I and II activities of the mitochondrial respiratory chain in ischemic skeletal muscle (Thaveau et al); (Lindsay) (Commentary). 2007;46:541-7

**J**

**Journal of Vascular Surgery**

Reviewer responsibility (Cronenwett et al). 2007;46:181 (Editorial)

**K**

**Kidney diseases**

Renovascular disease among patients referred for renal duplex ultrasonography (Labropoulos et al). 2007;46:731-7

**Kidney failure**

Is reconstructing the left renal vein truly necessary? Regarding "Glomerular filtration rate after left renal vein division and reconstruction during infrarenal aortic aneurysm repair" (Mehta and Clarke) (Letter); (Marrocco-Trischitta et al) (Reply). 2007;46:1085

**L**

**Lasers**

Regarding "Endovenous laser treatment of the short saphenous vein: efficacy and complications" (O'Donnell, Jr) (Letter); (Gibson) (Reply). 2007;46:1085-7

Regarding "Endovenous laser treatment of the short saphenous vein: efficacy and complications" (Park et al). 2007;46:1087 (Letter)

**Laser surgery**

Endovenous 980-nm laser treatment of saphenous veins in a series of 500 patients (Desmytère et al). 2007;46:1242-7

Mid-term results with laser atherectomy in the treatment of infrainguinal occlusive disease (Stoner et al). 2007;46:289-95, 289.e1-e8

Randomized trial comparing endovenous laser ablation of the great saphenous vein with high ligation and stripping in patients with varicose veins: short-term results (Rasmussen et al). 2007;46:308-15

**Leg**

Ascribing leg symptoms to chronic venous disorders: the construction of a diagnostic score (Carpentier et al). 2007;46:991-6

**Leg ulcer**

Regarding "State-of-the-art treatment of chronic leg ulcers: a randomized controlled trial comparing vacuum-assisted closure (V.A.C.) with modern wound dressings" (Ahmed et al) (Letter); (Vuerstaek) (Reply). 2007;46:614-16

**Leiomyosarcoma**

Inferior vena cava reconstruction using fresh inferior vena cava allograft following caval resection for leiomyosarcoma: midterm results (Guerrero et al). 2007;46:140-3 (Case rep.)

**Letters to the Editor**

- Is reconstructing the left renal vein truly necessary? Regarding "Glomerular filtration rate after left renal vein division and reconstruction during infrarenal aortic aneurysm repair" (Mehta and Clarke) (Letter); (Marrocco-Trischitta et al) (Reply). 2007;46:1085
- Recognition of Air Force surgeons at Wilford Hall Medical Center-supported 332nd EMDG/Air Force Theater Hospital, Balad Air Base, Iraq (Rich et al) (Letter); (Peck et al) (Reply). 2007;46:1312-13
- Regarding "A modified calculation of ankle-brachial pressure index is far more sensitive in the detection of peripheral arterial disease" (Aboyans and Lacroix) (Letter); (Schröder et al) (Reply). 2007;46:617-19
- Regarding "Angio-Seal arterial puncture closing device removal: some technical details" (Siani et al) (Letter); (Dregelid) (Reply). 2007;46:399-400
- Regarding "Duplex surveillance following carotid surgery: effect of management policy" (Golledge) (Letter); (Ballotta and Baracchini) (Reply). 2007;46:1087-8
- Regarding "Early carotid endarterectomy in symptomatic patients is associated with poorer perioperative outcomes" (Naylor) (Letter); (Rockman) (Reply). 2007;46:616-17
- Regarding "Elevated C-reactive protein levels are associated with postoperative events in patients undergoing lower extremity vein bypass surgery" (Biancari) (Letter); (Owens and Conte) (Reply). 2007;46:402-3
- Regarding "Endovenous laser treatment of the short saphenous vein: efficacy and complications" (O'Donnell, Jr) (Letter); (Gibson) (Reply). 2007;46:1085-7
- Regarding "Endovenous laser treatment of the short saphenous vein: efficacy and complications" (Park et al). 2007;46:1087 (Letter)
- Regarding "EXCLUDER trial events are excluded from EXCLUDER trial report" (McMurtry and Beckman) (Letter); (Matsumura et al) (Reply). 2007;46:1088-90
- Regarding "Infected femoral artery pseudoaneurysm in drug addicts: the beneficial use of the internal iliac artery for arterial reconstruction" (Georgiadis) (Letter); (Klonaris et al) (Reply). 2007;46:613-14
- Regarding "Initial results of wireless pressure sensing for endovascular aneurysm repair: the APEX trial—Acute Pressure Measurement to Confirm Aneurysm Sac EXclusion" (Hinnen et al) (Letter); (Ohki) (Reply). 2007;46:403-4
- Regarding "Meta-analysis of femoropopliteal bypass grafts for lower extremity arterial insufficiency" (Takagi et al) (Letter); (Pereira) (Reply). 2007;46:612
- Regarding "Neovascularization: an 'innocent bystander' in recurrent varicose veins" (Bergan) (Letter); (Egan et al) (Reply). 2007;46:177-8
- Regarding "Perioperative use of statins does not reduce cardiovascular risk" (Takagi et al) (Letter); (Schouten et al) (Reply). 2007;46:400-2
- Regarding "Randomized comparison of percutaneous Viabahn stent grafts vs prosthetic femoral-popliteal bypass in the treatment of superficial femoral arterial occlusive disease" (Bergqvist) (Letter); (Kedora) (Reply). 2007;46:176-7
- Regarding "Screening for abdominal aortic aneurysm reduces both aneurysm-related and all-cause mortality (Takagi et al) (Letter); (Mastracci and Cinà). 2007;46:1311-12
- Regarding "State-of-the-art treatment of chronic leg ulcers: a randomized controlled trial comparing vacuum-assisted

closure (V.A.C.) with modern wound dressings" (Ahmed et al) (Letter); (Vuerstaek) (Reply). 2007;46:614-16

Regarding "Stent grafts vs femoropopliteal bypass" (Takagi et al) (Letter); (Kedora and Gable) (Reply). 2007;46:399

**Ligation**

Randomized trial comparing endovenous laser ablation of the great saphenous vein with high ligation and stripping in patients with varicose veins: short-term results (Rasmussen et al). 2007;46:308-15

**Lighting**

Light-assisted stab phlebectomy: report of a technique for removal of lower extremity branch varicose veins (Lawrence and Vardanian). 2007;46:1052-4 (Tech. Note)

**Limb salvage**

Endovascular therapy for limb salvage in a case of critical lower limb ischemia resulting from fibromuscular dysplasia (Iida et al). 2007;46:803-7 (Case rep.)

Technical factors affecting autogenous vein graft failure: observations from a large multicenter trial (Schanzer et al). 2007;46:1180-90

**Lipoprotein-associated phospholipase A<sub>2</sub>; see Phospholipases A Lipoproteins, LDL**

Comparison between early and late carotid endarterectomy for symptomatic carotid stenosis in relation to oxidized low-density lipoprotein and plaque vulnerability (Suzue et al). 2007;46:870-5

**Liver failure**

Celiac dissection after blunt abdominal trauma complicated by acute hepatic failure: case report and review of literature (Kirchhoff et al). 2007;46:576-80 (Case rep.)

**Lower extremity**

Endovascular therapy for limb salvage in a case of critical lower limb ischemia resulting from fibromuscular dysplasia (Iida et al). 2007;46:803-7 (Case rep.)

Exercise performance in patients with peripheral arterial disease who have different types of exertional leg pain (Gardner et al). 2007;46:79-86

Female gender and oral anticoagulants are associated with wound complications in lower extremity vein bypass: an analysis of 1404 operations for critical limb ischemia (Nguyen et al). 2007;46:1191-7, 1191.e1-e8

Lesion severity and treatment complexity are associated with outcome after percutaneous infra-inguinal intervention (DeRubertis et al). 2007;46:709-16

Light-assisted stab phlebectomy: report of a technique for removal of lower extremity branch varicose veins (Lawrence and Vardanian). 2007;46:1052-4 (Tech. Note)

Lower extremity arterial revascularization in obese patients (Patel et al). 2007;46:738-42

Regarding "Elevated C-reactive protein levels are associated with postoperative events in patients undergoing lower extremity vein bypass surgery" (Biancari) (Letter); (Owens and Conte) (Reply). 2007;46:402-3

Regarding "Meta-analysis of femoropopliteal bypass grafts for lower extremity arterial insufficiency" (Takagi et al) (Letter); (Pereira) (Reply). 2007;46:612

A regional registry for quality assurance and improvement: the Vascular Study Group of Northern New England (VSGNNE) (Cronenwett et al). 2007;46:1093-102, 1093.e1-e10

Revascularization for chronic critical lower limb ischemia in octogenarians is worthwhile (Brosi et al). 2007;46:1198-207



Short-term and mid-term outcome of isolated symptomatic muscular calf vein thrombosis (Gillet et al); (Bergan) (Commentary). 2007;46:513-19

Subintimal angioplasty for the treatment of claudication and critical limb ischemia: 3-year results (Scott et al). 2007;46:959-64

Technical factors affecting autogenous vein graft failure: observations from a large multicenter trial (Schanzer et al). 2007;46:1180-90

#### **Lumbosacral region**

Percutaneous embolization of a lumbar pseudoaneurysm in a patient with type IV Ehlers-Danlos syndrome (Naidu et al). 2007;46:1036-8 (Case rep.)

#### **Lysophospholipids**

Sphingosine-1-phosphate-induced oxygen free radical generation in smooth muscle cell migration requires Gα12/13 protein-mediated phospholipase C activation (Roztocil et al). 2007;46:1253-9, 1253.e1-e11

### **M**

#### **Magnetic resonance angiography**

Accuracy and utility of three-dimensional contrast-enhanced magnetic resonance angiography in planning carotid stenting (Timaran et al); (Kwolek) (Commentary). 2007;46:257-64

#### **Magnetic resonance imaging (MRI)**

Carotid intraplaque hemorrhage detected by magnetic resonance imaging predicts embolization during carotid endarterectomy (Altaf et al). 2007;46:31-6

Intraplaque hemorrhage assessed by high-resolution magnetic resonance imaging and C-reactive protein in carotid atherosclerosis (Albuquerque et al). 2007;46:1130-7

#### **Malpractice**

Medical tort falls short in court (Jones and McCullough). 2007;46:1303-5 (Editorial)

#### **Mass screening**

Abdominal aortic aneurysm in women: prevalence, risk factors, and implications for screening (DeRubertis et al). 2007;46:630-5, 630.e1-e7

Accuracy of the screening physical examination to identify subclinical atherosclerosis and peripheral arterial disease in asymptomatic subjects (Cournot et al). 2007;46:1215-21

Regarding "Screening for abdominal aortic aneurysm reduces both aneurysm-related and all-cause mortality (Takagi et al) (Letter); (Mastracci and Cinà). 2007;46:1311-12

Results of a single center vascular screening and education program (Hupp et al); (Bush) (Commentary). 2007;46:182-9

#### **Matrix metalloproteinase-2; see Gelatinase A**

#### **Membrane glycoproteins**

Syndecans are differentially expressed during the course of aortic aneurysm formation (Wen et al). 2007;46:1014-25

#### **Mesenteric vascular occlusion**

Determinants of mortality and treatment outcome following surgical interventions for acute mesenteric ischemia (Kougas et al). 2007;46:467-74

#### **Mesentery**

Open surgery for atherosclerotic chronic mesenteric ischemia (Kruger et al). 2007;46:941-5

#### **MMP-9; see Gelatinase B**

#### **Monitoring, ambulatory**

Patterns of ambulatory activity in subjects with and without intermittent claudication (Gardner et al). 2007;46:1208-14

#### **Motor activity**

Patterns of ambulatory activity in subjects with and without intermittent claudication (Gardner et al). 2007;46:1208-14

Physical activity, walking exercise, and calf skeletal muscle characteristics in patients with peripheral arterial disease (McDermott et al). 2007;46:87-93

#### **Muscle, skeletal**

Ischemic preconditioning specifically restores complexes I and II activities of the mitochondrial respiratory chain in ischemic skeletal muscle (Thaveau et al); (Lindsay) (Commentary). 2007;46:541-7

Physical activity, walking exercise, and calf skeletal muscle characteristics in patients with peripheral arterial disease (McDermott et al). 2007;46:87-93

Selective application of sartorius muscle flaps and aggressive staged surgical debridement can influence long-term outcomes of complex prosthetic graft infections (Armstrong et al). 2007;46:71-8

Short-term and mid-term outcome of isolated symptomatic muscular calf vein thrombosis (Gillet et al); (Bergan) (Commentary). 2007;46:513-19

#### **Muscle, smooth**

Regulation of arterial lesions in mice depends on differential smooth muscle cell migration: a role for sphingosine-1-phosphate receptors (Inoue et al). 2007;46:756-63

#### **Mycobacterium bovis**

Ruptured mycotic abdominal aortic aneurysm secondary to *Mycobacterium bovis* after intravesical treatment with bacillus Calmette-Guérin (Harding and Lawlor). 2007;46:131-4 (Case rep.)

#### **Mycobacterium tuberculosis**

Endovascular treatment of a tuberculous infected aneurysm of the descending thoracic aorta: a word of caution (Labrousse et al). 2007;46:786-8 (Case rep.)

#### **Myocytes, smooth muscle**

Direct comparison of endothelial cell and smooth muscle cell response to supercooling and rewarming (Yiu et al). 2007;46:557-64, 557.e1-e12

Sphingosine-1-phosphate-induced oxygen free radical generation in smooth muscle cell migration requires Gα12/13 protein-mediated phospholipase C activation (Roztocil et al). 2007;46:1253-9, 1253.e1-e11

### **N**

#### **Neck injuries**

Traumatic pseudoaneurysms of the head and neck: early endovascular intervention (Cox et al). 2007;46:1227-33

#### **Needs assessment**

Endovascular skills training and assessment (Neequaye et al). 2007;46:1055-64 (Review)

#### **Neoplasms**

Endovascular versus open surgical repair of abdominal aortic aneurysm with concomitant malignancy (Porcellini et al). 2007;46:16-23

#### **Neovascularization**

Regarding "Neovascularization: an 'innocent bystander' in recurrent varicose veins" (Bergan) (Letter); (Egan et al) (Reply). 2007;46:177-8

**Nervous system diseases**

Neurologic complications associated with endovascular repair of thoracic aortic pathology: incidence and risk factors. A study from the European Collaborators on Stent/Graft Techniques for Aortic Aneurysm Repair (EUROSTAR) Registry (Buth et al). 2007;46:1103-11, 1103.e1-e11

**Neurofibromatosis 1**

Ruptured femoropopliteal artery aneurysms in von Recklinghausen neurofibromatosis (Gutarra et al). 2007;46:808-11 (Case rep.)

Vascular abnormalities in patients with neurofibromatosis syndrome type I: clinical spectrum, management, and results (Oderich et al). 2007;46:475-84, 475.e1-e11

**Nitric oxide**

Celiprolol reduces the intimal thickening of autogenous vein grafts via an enhancement of nitric oxide function through an inhibition of superoxide production (Hattori et al). 2007;46:116-23

Resveratrol neuroprotective effects during focal cerebral ischemia injury via nitric oxide mechanism in rats (Tsai et al). 2007;46:346-53

**O****Obesity**

Lower extremity arterial revascularization in obese patients (Patel et al). 2007;46:738-42

**Observer variation**

Intraobserver and interobserver variability and spatial differences in histologic examination of carotid endarterectomies specimens (Hellings et al). 2007;46:1147-54

**Occlusive dressings**

A randomized trial of the Tubulcus multilayer bandaging system in the treatment of extensive venous ulcers (Milic et al). 2007;46:750-5

Regarding "State-of-the-art treatment of chronic leg ulcers: a randomized controlled trial comparing vacuum-assisted closure (V.A.C.) with modern wound dressings" (Ahmed et al) (Letter); (Vuerstack) (Reply). 2007;46:614-16

**Octogenarians; see Aged, 80 and over****Outcome assessment (health care); see also Treatment outcome**

Persistent type 2 endoleak after endovascular repair of abdominal aortic aneurysm is associated with adverse late outcomes (Jones et al). 2007;46:1-8

Short-term and mid-term outcome of isolated symptomatic muscular calf vein thrombosis (Gillet et al); (Bergan) (Commentary). 2007;46:513-19

The type of embolic protection does not influence the outcome in carotid artery stenting (Iyer et al). 2007;46:251-6

**Oxidative stress**

Comparison between early and late carotid endarterectomy for symptomatic carotid stenosis in relation to oxidized low-density lipoprotein and plaque vulnerability (Suzue et al). 2007;46:870-5

**Oxidized low-density lipoprotein; see Lipoproteins, LDL****Oxygen**

Sphingosine-1-phosphate-induced oxygen free radical generation in smooth muscle cell migration requires Gα12/13 protein-mediated phospholipase C activation (Roztocil et al). 2007;46:1253-9, 1253.e1-e11

**P****Pain**

Exercise performance in patients with peripheral arterial disease who have different types of exertional leg pain (Gardner et al). 2007;46:79-86

**Pancreatitis**

Acute pancreatitis as a complication of percutaneous mechanical thrombectomy (Lebow et al). 2007;46:366-8 (Case rep.)

**Paraganglioma**

Paraganglioma of the vagus nerve mimicking as a carotid body tumor (Singh and Krishna). 2007;46:144

**Paraparesis**

Neurologic complications associated with endovascular repair of thoracic aortic pathology: incidence and risk factors. A study from the European Collaborators on Stent/Graft Techniques for Aortic Aneurysm Repair (EUROSTAR) Registry (Buth et al). 2007;46:1103-11, 1103.e1-e11

**Paraplegia**

Neurologic complications associated with endovascular repair of thoracic aortic pathology: incidence and risk factors. A study from the European Collaborators on Stent/Graft Techniques for Aortic Aneurysm Repair (EUROSTAR) Registry (Buth et al). 2007;46:1103-11, 1103.e1-e11

**Patient participation**

Optimizing compliance, efficiency, and safety during surveillance of small abdominal aortic aneurysms (Armstrong et al). 2007;46:190-6

**Peer review**

Ethics of guidelines for reviewers of medical manuscripts (Minion et al). 2007;46:391-3

Reviewer responsibility (Cronenwett et al). 2007;46:181 (Editorial)

**Percutaneous transluminal angioplasty; see Angioplasty, balloon****Perioperative care**

Prevention of infection in peripheral arterial reconstruction: a systematic review and meta-analysis (Stewart et al). 2007;46:148-55 (Review)

**Peripheral arterial diseases; see Peripheral vascular diseases****Peripheral vascular diseases**

Accuracy of the screening physical examination to identify subclinical atherosclerosis and peripheral arterial disease in asymptomatic subjects (Cournot et al). 2007;46:1215-21

Arterial vascular disease in women (Vouyouka and Kent). 2007;46:1295-302 (Review)

Ascribing leg symptoms to chronic venous disorders: the construction of a diagnostic score (Carpentier et al). 2007;46:991-6

Disparities in the treatment and outcomes of vascular disease in Hispanic patients (Morrissey et al). 2007;46:971-8

Exercise performance in patients with peripheral arterial disease who have different types of exertional leg pain (Gardner et al). 2007;46:79-86

Peripheral arterial disease affects ground reaction forces during walking (Scott-Pandorf et al). 2007;46:491-9

Physical activity, walking exercise, and calf skeletal muscle characteristics in patients with peripheral arterial disease (McDermott et al). 2007;46:87-93

Platelet activation increases with the severity of peripheral arterial disease: implications for clinical management (Rajagopalan et al). 2007;46:485-90

Poor health-related quality of life in patients with peripheral arterial disease: type D personality and severity of peripheral

- arterial disease as independent predictors (Aquarius et al). 2007;46:507-12
- Prevalence of and risk factors for peripheral arterial disease in the patients with hypertension among Han Chinese (Yang et al). 2007;46:296-302
- Prognostic value of ankle-brachial index and dobutamine stress echocardiography for cardiovascular morbidity and all-cause mortality in patients with peripheral arterial disease (Thatipelli et al); (Mackey) (Commentary). 2007;46:62-70
- Prospective decision analysis for peripheral vascular disease predicts future quality of life (Brothers et al); (Lilly) (Commentary). 2007;46:701-8, 701.e1-e10
- Regarding "Elevated C-reactive protein levels are associated with postoperative events in patients undergoing lower extremity vein bypass surgery" (Biancari) (Letter); (Owens and Conte) (Reply). 2007;46:402-3
- Personality**
- Poor health-related quality of life in patients with peripheral arterial disease: type D personality and severity of peripheral arterial disease as independent predictors (Aquarius et al). 2007;46:507-12
- Phenols**
- Polyphenols modulate calcium-independent mechanisms in human arterial tissue-engineered vascular media (Diebolt et al). 2007;46:764-72
- Phospholipase C**
- Sphingosine-1-phosphate-induced oxygen free radical generation in smooth muscle cell migration requires  $\alpha$ 12/13 protein-mediated phospholipase C activation (Roztocil et al). 2007;46:1253-9, 1253.e1-e11
- Phospholipases A**
- The association between lipoprotein-associated phospholipase A<sub>2</sub> and cardiovascular disease and total mortality in vascular medicine patients (Allison et al). 2007;46:500-6
- Photogrammetry**
- Assessment of three-dimensional stent-graft dynamics by using fluoroscopic roentgenographic stereophotogrammetric analysis (Koning et al). 2007;46:773-9
- Physical activity**; *see* Motor activity
- Physical examination**
- Accuracy of the screening physical examination to identify subclinical atherosclerosis and peripheral arterial disease in asymptomatic subjects (Cournot et al). 2007;46:1215-21
- Physician's practice patterns**
- Institutional futility: factual or phony? (Jones and McCullough). 2007;46:169-70
- Intentional over-treatment: the unmentionable conflict-of-interest (Jones and McCullough). 2007;46:605-7
- Plasminogen inactivators**
- The role of tissue factor in patients undergoing open repair of ruptured and nonruptured abdominal aortic aneurysms (Hobbs et al). 2007;46:682-6
- Platelet activation**
- Platelet activation increases with the severity of peripheral arterial disease: implications for clinical management (Rajagopalan et al). 2007;46:485-90
- Podophyllotoxin**
- The cyclolignan picropodophyllin attenuates intimal hyperplasia after rat carotid balloon injury by blocking insulin-like growth factor-1 receptor signaling (Razuvaev et al). 2007;46:108-15
- Polymorphism, single nucleotide**
- The interleukin-10-1082 'A' allele and abdominal aortic aneurysms (Bown et al). 2007;46:687-93
- Polyphenols**; *see* Flavonoids; Phenols
- Polytetrafluoroethylene**
- Evaluation of pressure transmission and intra-aneurysmal contents after endovascular repair using the Trivascular Enovus expanded polytetrafluoroethylene stent graft in a canine model of abdominal aortic aneurysm (Hynecek et al). 2007;46:1005-13
- The relative importance of graft surveillance and warfarin therapy in infrainguinal prosthetic bypass failure (Brumberg et al). 2007;46:1160-6
- Popliteal artery**
- Bilateral popliteal aneurysm as a result of vascular type IV entrapment in a young patient: an exceptional case report (López et al). 2007;46:1047-50 (Case rep.)
- Femoropopliteal prosthetic bypass with glutaraldehyde stabilized human umbilical vein (HUV) (Neufang et al). 2007;46:280-8
- The medial versus the posterior approach in the repair of popliteal artery aneurysms: a multicenter case-matched study (Kropman et al). 2007;46:24-30
- Regarding "Randomized comparison of percutaneous Viabahn stent grafts vs prosthetic femoral-popliteal bypass in the treatment of superficial femoral arterial occlusive disease" (Bergqvist) (Letter); (Kedora) (Reply). 2007;46:176-7
- Regarding "Stent grafts vs femoropopliteal bypass" (Takagi et al) (Letter); (Kedora and Gable) (Reply). 2007;46:399
- Rheolytic thrombectomy, angioplasty, and selective stenting for subacute isolated popliteal artery occlusions (Dosluoglu et al). 2007;46:717-23
- Ruptured femoropopliteal artery aneurysms in von Recklinghausen neurofibromatosis (Gutarra et al). 2007;46:808-11 (Case rep.)
- Surgical technique and long-term results after popliteal artery aneurysm repair: results from 717 legs (Ravn et al). 2007;46:236-43
- Population surveillance**
- Optimizing compliance, efficiency, and safety during surveillance of small abdominal aortic aneurysms (Armstrong et al). 2007;46:190-6
- Regarding "Duplex surveillance following carotid surgery: effect of management policy" (Golledge) (Letter); (Ballotta and Baracchini) (Reply). 2007;46:1087-8
- Positron-emission tomography**
- Vascular graft infection due to chronic Q fever diagnosed with fusion positron emission tomography/computed tomography (Assen et al). 2007;46:372
- Postoperative complications**
- Association between minor and major surgical complications after carotid endarterectomy: results of the New York Carotid Artery Surgery study (Greenstein et al). 2007;46:1138-46
- Bare metal stent infections: case report and review of the literature (Hogg et al). 2007;46:813-20 (Review)
- Endoleaks after endovascular aneurysm repair lead to nonuniform intra-aneurysm sac pressure (Dias et al); (Carpenter) (Commentary). 2007;46:197-203
- Persistent type 2 endoleak after endovascular repair of abdominal aortic aneurysm is associated with adverse late outcomes (Jones et al). 2007;46:1-8

Salvage options after stent collapse in the thoracic aorta (Rodd et al). 2007;46:780-5 (Case rep.)

#### Preservation, biological

Branch renal artery repair with cold perfusion protection (Crutchley et al). 2007;46:405-12, 405.e1-e10

#### Private practice

Academic medicine or private practice: you can't tell the players without a scorecard (Brown). 2007;46:387-90 (Presidential Address)

#### Prosthesis-related infections

Bare metal stent infections: case report and review of the literature (Hogg et al). 2007;46:813-20 (Review)

Prevention of infection in peripheral arterial reconstruction: a systematic review and meta-analysis (Stewart et al). 2007;46:148-55 (Review)

Prevention of *Staphylococcus aureus* graft infection by a new gelatin-sealed vascular graft prebonded with antibiotics (Javerliat et al). 2007;46:1026-31

Prosthetic stent graft infection after endovascular abdominal aortic aneurysm repair (Sharif et al). 2007;46:442-8

Selective application of sartorius muscle flaps and aggressive staged surgical debridement can influence long-term outcomes of complex prosthetic graft infections (Armstrong et al). 2007;46:71-8

Vascular graft infection due to chronic Q fever diagnosed with fusion positron emission tomography/computed tomography (Assen et al). 2007;46:372

#### Proteoglycans

Syndecans are differentially expressed during the course of aortic aneurysm formation (Wen et al). 2007;46:1014-25

#### Pseudoaneurysm; see Aneurysm, false

#### Psoas abscess

Psoas abscess in patients with an infected aortic aneurysm (Hsu and Lin). 2007;46:230-5

#### Pulmonary embolism

Uses of different D-dimer levels can reduce the need for venous duplex scanning to rule out deep vein thrombosis in patients with symptomatic pulmonary embolism (Yamaki et al). 2007;46:526-32

### Q

#### Q fever

Vascular graft infection due to chronic Q fever diagnosed with fusion positron emission tomography/computed tomography (Assen et al). 2007;46:372

#### Quality assurance, health care

A regional registry for quality assurance and improvement: the Vascular Study Group of Northern New England (VSGNNE) (Cronenwett et al). 2007;46:1093-102, 1093.e1-e10

#### Quality of life

Health-related quality of life in survivors of open ruptured abdominal aortic aneurysm repair: a matched, controlled cohort study (Hill et al). 2007;46:223-9

Poor health-related quality of life in patients with peripheral arterial disease: type D personality and severity of peripheral arterial disease as independent predictors (Aquarius et al). 2007;46:507-12

Prospective decision analysis for peripheral vascular disease predicts future quality of life (Brothers et al); (Lilly) (Commentary). 2007;46:701-8, 701.e1-e10

### R

#### Radiation, ionizing

Ionizing radiation absorption of vascular surgeons during endovascular procedures (Ho et al). 2007;46:455-9

#### Radiography

Assessment of three-dimensional stent-graft dynamics by using fluoroscopic roentgenographic stereophotogrammetric analysis (Koning et al). 2007;46:773-9

#### Receptors, lysosphingolipid

Regulation of arterial lesions in mice depends on differential smooth muscle cell migration: a role for sphingosine-1-phosphate receptors (Inoue et al). 2007;46:756-63

#### Reconstructive surgical procedures

Autologous repair of an internal carotid artery aneurysm by resection, caliber reduction, and external mesh tube reinforcement in a 9-year-old boy (Papadopoulos et al). 2007;46:1280-2 (Case rep.)

Innominate artery aneurysm: axial reconstruction via a cervical approach (Takach and Lalka). 2007;46:1267-9 (Case rep.)

#### Recreation

Traumatic carotid artery dissection caused by bungee jumping (Zhou et al). 2007;46:1044-6 (Case rep.)

#### Refusal to treat

What to do when a patient's international medical care goes south (Jones and McCullough). 2007;46:1077-9

#### Regional blood flow

Stenting of the venous outflow in chronic venous disease: long-term stent-related outcome, clinical, and hemodynamic result (Neglén et al). 2007;46:979-90, 979.e1-e14

Transcervical carotid stenting with carotid artery flow reversal: 3-year follow-up of 103 stents (Criado et al). 2007;46:864-9

#### Renal artery

Branch renal artery repair with cold perfusion protection (Crutchley et al). 2007;46:405-12, 405.e1-e10

#### Renal artery obstruction

Atheroembolism during percutaneous renal artery revascularization (Edwards et al). 2007;46:55-61

Renovascular disease among patients referred for renal duplex ultrasonography (Labropoulos et al). 2007;46:731-7

#### Renal dialysis

A comparison between transposed brachiobasilic arteriovenous fistulas and prosthetic brachioaxillary access grafts for vascular access for hemodialysis (Weale et al). 2007;46:997-1004

#### Renal vein

Is reconstructing the left renal vein truly necessary? Regarding "Glomerular filtration rate after left renal vein division and reconstruction during infrarenal aortic aneurysm repair" (Mehta and Clarke) (Letter); (Marrocco-Trischitta et al) (Reply). 2007;46:1085

#### Reoperation

Surgical and endovascular revision of infrainguinal vein bypass grafts: analysis of midterm outcomes from the PREVENT III trial (Berceli et al). 2007;46:1173-9

#### Resveratrol; see Stilbenes

#### Retinal artery occlusion

The fate of patients with retinal artery occlusion and Hollenhorst plaque (Dunlap et al). 2007;46:1125-9

#### Revascularization

Atheroembolism during percutaneous renal artery revascularization (Edwards et al). 2007;46:55-61



- Bypass for chronic ischemia of the upper extremity: results in 20 patients (Hughes et al). 2007;46:303-7
- Lower extremity arterial revascularization in obese patients (Patel et al). 2007;46:738-42
- Spinal cord ischemia may be reduced via a novel technique of intercostal artery revascularization during open thoracoabdominal aneurysm repair (Woo et al). 2007;46:421-6

#### Rewarming

- Direct comparison of endothelial cell and smooth muscle cell response to supercooling and rewarming (Yiu et al). 2007;46:557-64, 557.e1-e12

#### Risk factors

- Abdominal aortic aneurysm in women: prevalence, risk factors, and implications for screening (DeRubertis et al). 2007;46:630-5, 630.e1-e7
- Prevalence of and risk factors for peripheral arterial disease in the patients with hypertension among Han Chinese (Yang et al). 2007;46:296-302
- Risk factors for chronic venous disease: the San Diego Population Study (Criqui et al). 2007;46:331-7

#### Roentgenography; *see* Radiography

#### Ruptured aortic aneurysm; *see* Aortic rupture

### S

#### Salvage therapy

- Salvage options after stent collapse in the thoracic aorta (Rodd et al). 2007;46:780-5 (Case rep.)

#### Saphenous vein

- The appropriate length of long saphenous vein stripping should be based on the extent of reflux and not on the intent to avoid saphenous nerve injury (Kostas et al). 2007;46:1234-41
- Balloon control of the saphenofemoral junction during foam sclerotherapy: proposed innovation (Bidwai et al). 2007;46:145-7 (Tech. Note)
- Endovenous 980-nm laser treatment of saphenous veins in a series of 500 patients (Desmytère et al). 2007;46:1242-7
- Randomized trial comparing endovenous laser ablation of the great saphenous vein with high ligation and stripping in patients with varicose veins: short-term results (Rasmussen et al). 2007;46:308-15
- Regarding "Endovenous laser treatment of the short saphenous vein: efficacy and complications" (O'Donnell, Jr) (Letter); (Gibson) (Reply). 2007;46:1085-7
- Regarding "Endovenous laser treatment of the short saphenous vein: efficacy and complications" (Park et al). 2007;46:1087 (Letter)
- The relative importance of graft surveillance and warfarin therapy in infrainguinal prosthetic bypass failure (Brumberg et al). 2007;46:1160-6

#### Sclerotherapy

- Balloon control of the saphenofemoral junction during foam sclerotherapy: proposed innovation (Bidwai et al). 2007;46:145-7 (Tech. Note)

#### Sirolimus

- Direct stenting limits sirolimus-eluting stent edge neointimal thickening (Guérin et al). 2007;46:354-9

#### Smooth muscle cells; *see* Myocytes, smooth muscle

#### Society for Clinical Vascular Surgery

- Academic medicine or private practice: you can't tell the players without a scorecard (Brown). 2007;46:387-90 (Presidential Address)

#### Society of Interventional Radiology

- Recommended reporting standards for endovenous ablation for the treatment of venous insufficiency: joint statement of the American Venous Forum and the Society of Interventional Radiology (Kundu et al). 2007;46:582-9

#### Sphingosine-1-phosphate; *see* Lysophospholipids

#### Sphingosine-1-phosphate receptors; *see* Receptors, lysosphingolipid

#### Spinal cord ischemia

- Spinal cord ischemia may be reduced via a novel technique of intercostal artery revascularization during open thoracoabdominal aneurysm repair (Woo et al). 2007;46:421-6

#### Staphylococcus aureus

- Prevention of *Staphylococcus aureus* graft infection by a new gelatin-sealed vascular graft prebonded with antibiotics (Javerliat et al). 2007;46:1026-31

#### Statins; *see* Hydroxymethylglutaryl-CoA reductase inhibitors

#### Stem cells

- Bone marrow-derived cells and arterial disease (Golledge et al). 2007;46:590-600 (Review)

#### Stents

- Accuracy and utility of three-dimensional contrast-enhanced magnetic resonance angiography in planning carotid stenting (Timaran et al); (Kwolek) (Commentary). 2007;46:257-64
- Acute and chronic open conversion after endovascular aortic aneurysm repair: a 14-year review (Jimenez et al). 2007;46:642-7
- Assessment of three-dimensional stent-graft dynamics by using fluoroscopic roentgenographic stereophotogrammetric analysis (Koning et al). 2007;46:773-9
- Bare metal stent infections: case report and review of the literature (Hogg et al). 2007;46:813-20 (Review)
- Carotid endarterectomy was performed with lower stroke and death rates than carotid artery stenting in the United States in 2003 and 2004 (McPhee et al). 2007;46:1112-19, 1112.e1-e8
- Determinants of hypotension and bradycardia after carotid angioplasty and stenting (Lin et al). 2007;46:846-54
- Direct stenting limits sirolimus-eluting stent edge neointimal thickening (Guérin et al). 2007;46:354-9
- Dual guidewire placement to enhance arch vessel origin identification: a simple technique to facilitate ostial aortic arch vessel stenting (Hedayati et al). 2007;46:1274-6 (Case rep.)
- Duplex scan surveillance after carotid angioplasty and stenting: a rational definition of stent stenosis (Armstrong et al). 2007;46:460-6
- Evaluation of pressure transmission and intra-aneurysmal contents after endovascular repair using the Trivascular Enovus expanded polytetrafluoroethylene stent graft in a canine model of abdominal aortic aneurysm (Hynecek et al). 2007;46:1005-13
- Factors associated with outcome after interventional treatment of symptomatic iliac vein compression syndrome (Knipp et al). 2007;46:743-9, 743.e1-e8
- Hybrid treatment of common carotid artery occlusion with ring-stripper endarterectomy plus stenting (Pintér et al). 2007;46:135-9 (Case rep.)
- Increased aortic arch calcification in patients older than 75 years: implications for carotid artery stenting in elderly patients (Bazan et al). 2007;46:841-5

- Long-term results of 442 consecutive, standardized carotid endarterectomy procedures in standard-risk and high-risk patients: an attainable goal for carotid stenting? (Flanigan et al). 2007;46:876-82, 876.e1-e13
- Measurement and impact of proximal and distal tortuosity in carotid stenting procedures (Faggioli et al). 2007;46:1119-24
- Outcome after endovascular stent graft treatment for mycotic aortic aneurysm: a systematic review (Kan et al). 2007;46:906-12
- Patterns of in-stent restenosis after carotid artery stenting: classification and implications for long-term outcome (Lal et al). 2007;46:833-40
- Postprocedural microembolic events following carotid surgery and carotid angioplasty and stenting (Tedesco et al). 2007;46:244-50
- Primary iliac stenting versus transluminal angioplasty with selective stenting (AbuRahma et al). 2007;46:965-70, 965.e1-e8
- Prosthetic stent graft infection after endovascular abdominal aortic aneurysm repair (Sharif et al). 2007;46:442-8
- Regarding "Randomized comparison of percutaneous Viabahn stent grafts vs prosthetic femoral-popliteal bypass in the treatment of superficial femoral arterial occlusive disease" (Bergqvist) (Letter); (Kedora) (Reply). 2007;46:176-7
- Regarding "Stent grafts vs femoropopliteal bypass" (Takagi et al) (Letter); (Kedora and Gable) (Reply). 2007;46:399
- Rheolytic thrombectomy, angioplasty, and selective stenting for subacute isolated popliteal artery occlusions (Dosluoglu et al). 2007;46:717-23
- Salvage options after stent collapse in the thoracic aorta (Rodd et al). 2007;46:780-5 (Case rep.)
- Stenting of the venous outflow in chronic venous disease: long-term stent-related outcome, clinical, and hemodynamic result (Neglén et al). 2007;46:979-90, 979.e1-e14
- Successful treatment of endotension and aneurysm sac enlargement with endovascular stent graft reinforcement (Kougiyas et al). 2007;46:124-7 (Case rep.)
- Transcervical carotid stenting with carotid artery flow reversal: 3-year follow-up of 103 stents (Criado et al). 2007;46:864-9
- Transcervical carotid stenting with flow reversal protection: experience in high-risk patients (Matas et al). 2007;46:49-54
- The type of embolic protection does not influence the outcome in carotid artery stenting (Iyer et al). 2007;46:251-6
- Virtual reality simulation objectively differentiates level of carotid stent experience in experienced interventionalists (Van Herzele et al). 2007;46:855-63
- Stereophotogrammetry;** *see* Photogrammetry
- Stilbenes**
- Resveratrol neuroprotective effects during focal cerebral ischemia injury via nitric oxide mechanism in rats (Tsai et al). 2007;46:346-53
- Streptococcal infections**
- Probable zoonotic aortitis due to group C streptococcal infection (Gonzales et al). 2007;46:1039-43 (Case rep.)
- Stroke;** *see* Cerebrovascular accident
- Subclavian artery**
- Aortic dissection originating from an aberrant right subclavian artery (Li et al). 2007;46:1270-3 (Case rep.)
- Dysphagia lusoria (Feezor and Lee). 2007;46:581
- Substance abuse, intravenous**
- Regarding "Infected femoral artery pseudoaneurysm in drug addicts: the beneficial use of the internal iliac artery for arterial reconstruction" (Georgiadis) (Letter); (Klonaris et al) (Reply). 2007;46:613-14
- Superior vena cava;** *see* Vena cava, superior
- Surgery, computer-assisted**
- Virtual reality simulation objectively differentiates level of carotid stent experience in experienced interventionalists (Van Herzele et al). 2007;46:855-63
- Surgical Ethics Challenges**
- Ethics of guidelines for reviewers of medical manuscripts (Minion et al). 2007;46:391-3
- The extent of informed consent (Jones and McCullough). 2007;46:821-2
- Institutional futility: factual or phony? (Jones and McCullough). 2007;46:169-70
- Intentional over-treatment: the unmentionable conflict-of-interest (Jones and McCullough). 2007;46:605-7
- What to do when a patient's international medical care goes south (Jones and McCullough). 2007;46:1077-9
- Surgical flaps**
- Selective application of sartorius muscle flaps and aggressive staged surgical debridement can influence long-term outcomes of complex prosthetic graft infections (Armstrong et al). 2007;46:71-8
- Surgical instruments**
- Regarding "Angio-Seal arterial puncture closing device removal: some technical details" (Siani et al) (Letter); (Dregelid) (Reply). 2007;46:399-400
- Surgical procedures, elective**
- Meta-analysis and systematic review of the relationship between surgeon annual caseload and mortality for elective open abdominal aortic aneurysm repairs (Young et al). 2007;46:1287-94 (Review)
- Surgical wound infection**
- Association between minor and major surgical complications after carotid endarterectomy: results of the New York Carotid Artery Surgery study (Greenstein et al). 2007;46:1138-46
- Syndecans;** *see* Membrane glycoproteins; Proteoglycans
- T**
- Teaching materials**
- Endovascular skills training and assessment (Neequaye et al). 2007;46:1055-64 (Review)
- Technical Notes**
- Technical Notes. 2007;46:145-7, 1052-4, 1284-6
- Telemetry**
- Regarding "Initial results of wireless pressure sensing for endovascular aneurysm repair: the APEX trial—Acute Pressure Measurement to Confirm Aneurysm Sac EXclusion" (Hinnen et al) (Letter); (Ohki) (Reply). 2007;46:403-4
- Thoracic aortic aneurysm;** *see* Aortic aneurysm, thoracic
- Thoracic injuries**
- Endovascular management of acute blunt traumatic thoracic aortic injury: a single center experience (Bent et al). 2007;46:920-7
- Outcomes of surgical and endovascular treatment of acute traumatic thoracic aortic injury (Riesenman et al). 2007;46:934-40

**Thoracic outlet syndrome**

Diagnosis of thoracic outlet syndrome: clinical update (Sanders et al). 2007;46:601-4

**Thrombectomy**

Acute pancreatitis as a complication of percutaneous mechanical thrombectomy (Lebow et al). 2007;46:366-8 (Case rep.)

Rheolytic thrombectomy, angioplasty, and selective stenting for subacute isolated popliteal artery occlusions (Dosluoglu et al). 2007;46:717-23

**Thrombin-activatable fibrinolysis inhibitor; see** Carboxypeptidase U

**Thromboangiitis obliterans**

Buerger's disease (Faizer and Forbes). 2007;46:812

**Thrombolytic therapy**

Iliofemoral venous thrombosis (Comerota and Gravett). 2007;46:1065-76 (Review)

**Thromboplastin**

The role of tissue factor in patients undergoing open repair of ruptured and nonruptured abdominal aortic aneurysms (Hobbs et al). 2007;46:682-6

**Thrombosis**

Short-term and mid-term outcome of isolated symptomatic muscular calf vein thrombosis (Gillet et al); (Bergan) (Commentary). 2007;46:513-19

**Tissue engineering**

Polyphenols modulate calcium-independent mechanisms in human arterial tissue-engineered vascular media (Diebolt et al). 2007;46:764-72

**Tissue factor; see** Thromboplastin

**Tissue harvesting**

Late incidence of chronic venous insufficiency after deep vein harvest (Modrall et al). 2007;46:520-5

**Tissue plasminogen activator**

The role of tissue factor in patients undergoing open repair of ruptured and nonruptured abdominal aortic aneurysms (Hobbs et al). 2007;46:682-6

**Tobacco smoke pollution**

Buerger's disease (Faizer and Forbes). 2007;46:812

**Tomography, emission-computed**

Aortic coarctation diagnosed by 64-sliced computed tomography angiography (Rosenthal and Shutze). 2007;46:1051

**Tomography, x-ray computed**

Dynamic geometry and wall thickness of the aortic neck of abdominal aortic aneurysms with intravascular ultrasonography (Arko et al). 2007;46:891-7

Vascular graft infection due to chronic Q fever diagnosed with fusion positron emission tomography/computed tomography (Assen et al). 2007;46:372

**Torsion**

Measurement and impact of proximal and distal tortuosity in carotid stenting procedures (Faggioli et al). 2007;46:1119-24

**Tracheal diseases**

The emergency use of endografts in the carotid circulation to control hemorrhage in potentially contaminated fields (Sorial et al). 2007;46:792-8 (Case rep.)

**Transducers, pressure**

Evaluation of pressure transmission and intra-aneurysmal contents after endovascular repair using the Trivascular Enovus expanded polytetrafluoroethylene stent graft in a canine model of abdominal aortic aneurysm (Hynecek et al). 2007;46:1005-13

**Transplantation, autologous**

Percutaneous autologous venous valve transplantation: short-term feasibility study in an ovine model (Pavcnik et al); (Wakefield) (Commentary). 2007;46:338-45

**Transplantation, homologous**

Inferior vena cava reconstruction using fresh inferior vena cava allograft following caval resection for leiomyosarcoma: midterm results (Guerrero et al). 2007;46:140-3 (Case rep.)

**Treatment outcome; see also** Outcome assessment (health care)

Clinical outcome of endovascular therapeutic occlusion of the celiac artery (Waldenberger et al). 2007;46:655-61

Determinants of mortality and treatment outcome following surgical interventions for acute mesenteric ischemia (Kougiyas et al). 2007;46:467-74

**Tunica intima**

Celiprolol reduces the intimal thickening of autogenous vein grafts via an enhancement of nitric oxide function through an inhibition of superoxide production (Hattori et al). 2007;46:116-23

The cyclolignan picropodophyllin attenuates intimal hyperplasia after rat carotid balloon injury by blocking insulin-like growth factor-1 receptor signaling (Razuvaev et al). 2007;46:108-15

Direct stenting limits sirolimus-eluting stent edge neointimal thickening (Guérin et al). 2007;46:354-9

**Tunica media**

Polyphenols modulate calcium-independent mechanisms in human arterial tissue-engineered vascular media (Diebolt et al). 2007;46:764-72

U

**Ultrasonography, Doppler**

Incidence and clinical significance of distal embolization during percutaneous interventions involving the superficial femoral artery (Lam et al). 2007;46:1155-9

**Ultrasonography, Doppler, duplex**

Criteria for defining significant central vein stenosis with duplex ultrasound (Labropoulos et al). 2007;46:101-7

Duplex scan surveillance after carotid angioplasty and stenting: a rational definition of stent stenosis (Armstrong et al). 2007;46:460-6

Patterns of in-stent restenosis after carotid artery stenting: classification and implications for long-term outcome (Lal et al). 2007;46:833-40

Renovascular disease among patients referred for renal duplex ultrasonography (Labropoulos et al). 2007;46:731-7

Uses of different D-dimer levels can reduce the need for venous duplex scanning to rule out deep vein thrombosis in patients with symptomatic pulmonary embolism (Yamaki et al). 2007;46:526-32

**Ultrasonography, interventional**

Bedside vena cava filter placement with intravascular ultrasound: A simple, accurate, single venous access method (Jacobs et al). 2007;46:1284-6 (Tech. Note)

Dynamic geometry and wall thickness of the aortic neck of abdominal aortic aneurysms with intravascular ultrasonography (Arko et al). 2007;46:891-7

The use of intravascular ultrasound imaging to improve use of inferior vena cava filters in a high-risk bariatric population (Kardys et al). 2007;46:1248-52

**Umbilical vein**

Femoropopliteal prosthetic bypass with glutaraldehyde stabilized human umbilical vein (HUV) (Neufang et al). 2007;46:280-8

**Upper extremity**

Bypass for chronic ischemia of the upper extremity: results in 20 patients (Hughes et al). 2007;46:303-7

**User-computer interface**

Virtual reality simulation objectively differentiates level of carotid stent experience in experienced interventionalists (Van Herzele et al). 2007;46:855-63

**V****Vacuum**

Regarding "State-of-the-art treatment of chronic leg ulcers: a randomized controlled trial comparing vacuum-assisted closure (V.A.C.) with modern wound dressings" (Ahmed et al) (Letter); (Vuerstaek) (Reply). 2007;46:614-16

**Vagus nerve**

Paraganglioma of the vagus nerve mimicking as a carotid body tumor (Singh and Krishna). 2007;46:144

**Varicose ulcer**

A randomized trial of the Tubulcus multilayer bandaging system in the treatment of extensive venous ulcers (Milic et al). 2007;46:750-5

**Varicose veins**

The appropriate length of long saphenous vein stripping should be based on the extent of reflux and not on the intent to avoid saphenous nerve injury (Kostas et al). 2007;46:1234-41

Light-assisted stab phlebectomy: report of a technique for removal of lower extremity branch varicose veins (Lawrence and Vardanian). 2007;46:1052-4 (Tech. Note)

Randomized trial comparing endovenous laser ablation of the great saphenous vein with high ligation and stripping in patients with varicose veins: short-term results (Rasmussen et al). 2007;46:308-15

Regarding "Neovascularization: an 'innocent bystander' in recurrent varicose veins" (Bergan) (Letter); (Egan et al) (Reply). 2007;46:177-8

**Vascular diseases**

Acute venous disease: venous thrombosis and venous trauma (Meissner et al). 2007;46:S25-53

Bone marrow-derived cells and arterial disease (Golledge et al). 2007;46:590-600 (Review)

Chronic venous disorders: correlation between visible signs, symptoms, and presence of functional disease (Chiesa et al). 2007;46:322-30

Criteria for defining significant central vein stenosis with duplex ultrasound (Labropoulos et al). 2007;46:101-7

D. Eugene Strandness Memorial Lecture: Foresight 2020: creating the venous vision (Kistner). 2007;46:163-8

Factors associated with outcome after interventional treatment of symptomatic iliac vein compression syndrome (Knipp et al). 2007;46:743-9, 743.e1-e8

The hemodynamics and diagnosis of venous disease (Meissner et al). 2007;46:S4-24

Mapping the future: organizational, clinical, and research priorities in venous disease (Meissner et al). 2007;46:S84-93

Preface: acute and chronic venous disease. Current status and future directions (Meissner et al). 2007;46:S1-3 (Editorial)

Primary chronic venous disorders (Meissner et al). 2007;46:S54-67

Results of a single center vascular screening and education program (Hupp et al); (Bush) (Commentary). 2007;46:182-9

Risk factors for chronic venous disease: the San Diego Population Study (Criqui et al). 2007;46:331-7

Secondary chronic venous disorders (Meissner et al). 2007;46:S68-83

Vascular abnormalities in patients with neurofibromatosis syndrome type I: clinical spectrum, management, and results (Oderich et al). 2007;46:475-84, 475.e1-e11

**Vascular fistula**

The emergency use of endografts in the carotid circulation to control hemorrhage in potentially contaminated fields (Sorrial et al). 2007;46:792-8 (Case rep.)

**Vascular Images**

Aortic coarctation diagnosed by 64-sliced computed tomography angiography (Rosenthal and Shutze). 2007;46:1051

Buerger's disease (Faizer and Forbes). 2007;46:812

Dysphagia lusoria (Feezor and Lee). 2007;46:581

Paraganglioma of the vagus nerve mimicking as a carotid body tumor (Singh and Krishna). 2007;46:144

True aneurysm of a metatarsal artery (Ysa et al). 2007;46:1283

Vascular graft infection due to chronic Q fever diagnosed with fusion positron emission tomography/computed tomography (Assen et al). 2007;46:372

**Vascular media; see Tunica media****Vascular neoplasms**

Resection of malignant tumors invading the vena cava: perioperative complications and long-term follow-up (Kuehn et al). 2007;46:533-40

**Vascular patency**

Lesion severity and treatment complexity are associated with outcome after percutaneous infra-inguinal intervention (DeRubertis et al). 2007;46:709-16

Surgical and endovascular revision of infrainguinal vein bypass grafts: analysis of midterm outcomes from the PREVENT III trial (Berceli et al). 2007;46:1173-9

Target lesion characteristics in failing vein grafts predict the success of endovascular and open revision (Hagino et al). 2007;46:1167-72

**Vascular surgical procedures**

The American Venous Forum: inclusive, innovative, involved (Dalsing). 2007;46:156-62 (Presidential Address)

Branched iliac bifurcation: 6 years experience with endovascular preservation of internal iliac artery flow (Ziegler et al). 2007;46:204-10

Branch renal artery repair with cold perfusion protection (Crutchley et al). 2007;46:405-12, 405.e1-e10

Clinical factors associated with long-term mortality following vascular surgery: outcomes from The Coronary Artery Revascularization Prophylaxis (CARP) Trial (McFalls et al). 2007;46:694-700

Cost-effectiveness of conventional and endovascular repair of abdominal aortic aneurysms: results of a randomized trial (Prinssen et al). 2007;46:883-90, 883.e1-e9

Determinants of mortality and treatment outcome following surgical interventions for acute mesenteric ischemia (Kougiass et al). 2007;46:467-74

Endovascular versus open surgical repair of abdominal aortic aneurysm with concomitant malignancy (Porcellini et al). 2007;46:16-23



- Hybrid repair of an aortic arch aneurysm with complex anatomy: right aortic arch and anomalous origin of supra-aortic vessels (Chiesa et al). 2007;46:128-30 (Case rep.)
- Ionizing radiation absorption of vascular surgeons during endovascular procedures (Ho et al). 2007;46:455-9
- Isolated iliac artery aneurysms: endovascular versus open elective repair (Pitoulis et al). 2007;46:648-54
- Is reconstructing the left renal vein truly necessary? Regarding "Glomerular filtration rate after left renal vein division and reconstruction during infrarenal aortic aneurysm repair" (Mehta and Clarke) (Letter); (Marrocco-Trischitta et al) (Reply). 2007;46:1085
- Light-assisted stab phlebectomy: report of a technique for removal of lower extremity branch varicose veins (Lawrence and Vardanian). 2007;46:1052-4 (Tech. Note)
- Long-term durability of open abdominal aortic aneurysm repair (Conrad et al). 2007;46:669-75
- The medial versus the posterior approach in the repair of popliteal artery aneurysms: a multicenter case-matched study (Kropman et al). 2007;46:24-30
- Outcomes of surgical and endovascular treatment of acute traumatic thoracic aortic injury (Riesenman et al). 2007;46:934-40
- Percutaneous autologous venous valve transplantation: short-term feasibility study in an ovine model (Pavcnik et al); (Wakefield) (Commentary). 2007;46:338-45
- Prevention of infection in peripheral arterial reconstruction: a systematic review and meta-analysis (Stewart et al). 2007;46:148-55 (Review)
- Regarding "Elevated C-reactive protein levels are associated with postoperative events in patients undergoing lower extremity vein bypass surgery" (Biancari) (Letter); (Owens and Conte) (Reply). 2007;46:402-3
- Regarding "EXCLUDER trial events are excluded from EXCLUDER trial report" (McMurtry and Beckman) (Letter); (Matsumura et al) (Reply). 2007;46:1088-90
- Resection of malignant tumors invading the vena cava: perioperative complications and long-term follow-up (Kuehnl et al). 2007;46:533-40
- Surgical technique and long-term results after popliteal artery aneurysm repair: results from 717 legs (Ravn et al). 2007;46:236-43
- Target lesion characteristics in failing vein grafts predict the success of endovascular and open revision (Hagino et al). 2007;46:1167-72
- Vena cava filters**
- Bedside vena cava filter placement with intravascular ultrasound: A simple, accurate, single venous access method (Jacobs et al). 2007;46:1284-6 (Tech. Note)
- The use of intravascular ultrasound imaging to improve use of inferior vena cava filters in a high-risk bariatric population (Kardys et al). 2007;46:1248-52
- Vena cava, inferior**
- Inferior vena cava reconstruction using fresh inferior vena cava allograft following caval resection for leiomyosarcoma: midterm results (Guerrero et al). 2007;46:140-3 (Case rep.)
- Vena cava, superior**
- Endovascular repair of an iatrogenic superior vena caval injury: a case report (Azizzadeh et al). 2007;46:569-71 (Case rep.)
- Venae cavae; see also Vena cava, superior**
- Resection of malignant tumors invading the vena cava: perioperative complications and long-term follow-up (Kuehnl et al). 2007;46:533-40
- Venous insufficiency**
- Late incidence of chronic venous insufficiency after deep vein harvest (Modrall et al). 2007;46:520-5
- Postthrombotic or non-postthrombotic severe venous insufficiency: impact of removal of superficial venous reflux with or without subcutaneous fasciotomy (Christenson); (Bergan) (Commentary). 2007;46:316-21
- Recommended reporting standards for endovenous ablation for the treatment of venous insufficiency: joint statement of the American Venous Forum and the Society of Interventional Radiology (Kundu et al). 2007;46:582-9
- Regarding "Meta-analysis of femoropopliteal bypass grafts for lower extremity arterial insufficiency" (Takagi et al) (Letter); (Pereira) (Reply). 2007;46:612
- Stenting of the venous outflow in chronic venous disease: long-term stent-related outcome, clinical, and hemodynamic result (Neglén et al). 2007;46:979-90, 979.e1-e14
- Venous thrombosis**
- Acute venous disease: venous thrombosis and venous trauma (Meissner et al). 2007;46:S25-53
- Iliofemoral venous thrombosis (Comerota and Gravett). 2007;46:1065-76 (Review)
- Uses of different D-dimer levels can reduce the need for venous duplex scanning to rule out deep vein thrombosis in patients with symptomatic pulmonary embolism (Yamaki et al). 2007;46:526-32
- Vocal cord paralysis**
- Frequency of transient ipsilateral vocal cord paralysis in patients undergoing carotid endarterectomy under local anesthesia (Thermann et al). 2007;46:37-40
- von Recklinghausen neurofibromatosis; see Neurofibromatosis 1**
- W**
- Walking**
- Peripheral arterial disease affects ground reaction forces during walking (Scott-Pandorf et al). 2007;46:491-9
- Physical activity, walking exercise, and calf skeletal muscle characteristics in patients with peripheral arterial disease (McDermott et al). 2007;46:87-93
- Warfarin**
- The relative importance of graft surveillance and warfarin therapy in infrainguinal prosthetic bypass failure (Brumberg et al). 2007;46:1160-6
- Women's health**
- Abdominal aortic aneurysm in women: prevalence, risk factors, and implications for screening (DeRubertis et al). 2007;46:630-5, 630.e1-e7
- Arterial vascular disease in women (Vouyouka and Kent). 2007;46:1295-302 (Review)
- Workload**
- Meta-analysis and systematic review of the relationship between surgeon annual caseload and mortality for elective open abdominal aortic aneurysm repairs (Young et al). 2007;46:1287-94 (Review)
- Wounds and injuries**
- Blunt thoracic aortic injury: a single institution comparison of open and endovascular management (Midgley et al). 2007;46:662-8

- Compartment syndrome with foot ischemia after inversion injury of the ankle (Maurel et al). 2007;46:369-71 (Case rep.)
- The cyclolignan picropodophyllin attenuates intimal hyperplasia after rat carotid balloon injury by blocking insulin-like growth factor-1 receptor signaling (Razuvaev et al). 2007;46:108-15
- Endovascular repair of an iatrogenic superior vena caval injury: a case report (Azizzadeh et al). 2007;46:569-71 (Case rep.)
- Female gender and oral anticoagulants are associated with wound complications in lower extremity vein bypass: an analysis of 1404 operations for critical limb ischemia (Nguyen et al). 2007;46:1191-7, 1191.e1-e8
- Recognition of Air Force surgeons at Wilford Hall Medical Center-supported 332nd EMDG/Air Force Theater Hospital, Balad Air Base, Iraq (Rich et al) (Letter); (Peck et al) (Reply). 2007;46:1312-13

**Wounds, nonpenetrating**

- Endovascular management of acute blunt traumatic thoracic aortic injury: a single center experience (Bent et al). 2007;46:920-7
- Increasing use of endovascular therapy in acute arterial injuries: analysis of the National Trauma Data Bank (Reuben et al). 2007;46:1222-6, 1222.e1-e7
- Outcomes of surgical and endovascular treatment of acute traumatic thoracic aortic injury (Riesenman et al). 2007;46:934-40

**Z****Zoonoses**

- Probable zoonotic aortitis due to group C streptococcal infection (Gonzales et al). 2007;46:1039-43 (Case rep.)